

1-1-2020

Fine-grained sentiment analysis for measuring customer satisfaction using an extended set of fuzzy linguistic hedges

Asad Khattak
Zayed University, asad.khattak@zu.ac.ae

Waqas Tariq Paracha
Gomal University

Muhammad Zubair Asghar
Gomal University

Nosheen Jillani
Gomal University

Umair Younis
Gomal University

See next page for additional authors

Follow this and additional works at: <https://zuscholars.zu.ac.ae/works>



Part of the [Computer Sciences Commons](#)

Recommended Citation

Khattak, Asad; Paracha, Waqas Tariq; Asghar, Muhammad Zubair; Jillani, Nosheen; Younis, Umair; Saddozai, Furqan Khan; and Hameed, Ibrahim A., "Fine-grained sentiment analysis for measuring customer satisfaction using an extended set of fuzzy linguistic hedges" (2020). *All Works*. 1682.
<https://zuscholars.zu.ac.ae/works/1682>

This Article is brought to you for free and open access by ZU Scholars. It has been accepted for inclusion in All Works by an authorized administrator of ZU Scholars. For more information, please contact scholars@zu.ac.ae.

Author First name, Last name, Institution

Asad Khattak, Waqas Tariq Paracha, Muhammad Zubair Asghar, Nosheen Jillani, Umair Younis, Furqan Khan Saddozai, and Ibrahim A. Hameed

Research Article

Fine-Grained Sentiment Analysis for Measuring Customer Satisfaction Using an Extended Set of Fuzzy Linguistic Hedges

Asad Khattak¹, Waqas Tariq Paracha², Muhammad Zubair Asghar²,, Nosheen Jilani², Umair Younis²,
Furqan Khan Saddozai²,, Ibrahim A. Hameed^{3,*},

¹College of Technological Innovation, Zayed University, 144534, Abu Dhabi Campus, UAE

²Institute of Computing and Information Technology, Gomal University, DIKhan (KP), Pakistan

³Department of ICT and Natural Sciences, Faculty of Information Technology and Electrical Engineering, Hovedbygget, B316, Ålesund, Norway

ARTICLE INFO

Article History

Received 27 Jun 2019

Accepted 05 May 2020

Keywords

Customer satisfaction

Fine-grained sentiment analysis

Fuzzy logic

Linguistic hedges

Membership function

ABSTRACT

In recent years, the boom in social media sites such as Facebook and Twitter has brought people together for the sharing of opinions, sentiments, emotions, and experiences about products, events, politics, and other topics. In particular, sentiment-based applications are growing in popularity among individuals and businesses for the making of purchase decisions. Fuzzy-based sentiment analysis aims at classifying customer sentiment at a fine-grained level. This study deals with the development of a fuzzy-based sentiment analysis by extending fuzzy hedges and rule-sets for a more efficient classification of customer sentiment and satisfaction. Prior studies have used a limited number of linguistic hedges and polarity classes in their rule-sets, resulting in the degraded efficiency of their fuzzy-based sentiment analysis systems. The proposed analysis of the current study classifies customer reviews using fuzzy linguistic hedges and an extended rule-set with seven sentiment analysis classes, namely extremely positive, very positive, positive, neutral, negative, very negative, and extremely negative. Then, a fuzzy logic system is applied to measure customer satisfaction at a fine-grained level. The experimental results demonstrate that the proposed analysis has an improved performance over the baseline works.

© 2020 The Authors. Published by Atlantis Press SARL.

This is an open access article distributed under the CC BY-NC 4.0 license (<http://creativecommons.org/licenses/by-nc/4.0/>).

1. INTRODUCTION

Sentiment analysis (SA) is a challenging research area that uses natural language processing (NLP), text mining, and computational linguistics. It has a wide range of applications in different domains, such as in politics, education, business, and others fields [1]. In the business domain, customers rely on online reviews for making purchase decisions. Similarly, businesses use sentiment-based applications to analyze user feedback, brand loyalty, and customer satisfaction with their products, assisting in quality improvement to increase revenue [2,3].

Most of the most recent work on SA for customer feedback analysis has been based on the binary classification of customer reviews (i.e., positive or negative) with less focus on a fine-grained sentiment classification. With fine-grained sentiment classifications, reviews are classified into multiple sentiment classes, such as weak, moderate, strong, or very strong [4]. Fuzzy-based SA is one feasible solution for classifying customer reviews at different granularity levels. Fuzzy-based SA aims at classifying sentiments using multiple

polarity values, and it can involve relative values, such as positive, very positive, negative, very negative, or neutral [5].

Fuzzy-based SA systems for the analysis of customer feedback and satisfaction are based on computing the sentiment of opinion words by using three approaches: lexicon-based, corpus-based, and manual [6]. However, the sentiment strength of opinion words can be affected by the presence of modifiers such as *very*, *slightly*, *almost*, *never*, and others. [7]. Recent studies in this area have identified that the proper formulation and incorporation of linguistic hedges can enhance the performance of fuzzy-based SA systems [8]. However, existing studies on fuzzy-based SA using linguistic hedges [9] have used only a limited set of hedges, and there is a lack of extended rule-sets using fuzzy logic for the fine-grained SA of customer feedback and satisfaction.

To address the aforementioned issues, there is a need for the development of a fuzzy-based SA system using an extended set of fuzzy linguistic hedges and a revised set of rules for the fine-grained SA of customer feedback and satisfaction. In this study, a fuzzy-based SA system has been proposed to classify user reviews in order to measure customer satisfaction at a fine-grained level by exploiting the effect of an extended set of fuzzy linguistic hedges on sentiment carrier words.

*Corresponding author. Email: ibib.hameed@gmail.com

1.1. Literature Review

In this section, we present a review of selected studies conducted on the use of fuzzy logic for the fine-grained SA of customer feedback and satisfaction.

Ghani *et al.* [2] proposed a fuzzy-based system to quantify customer loyalty by performing the sentiment classification of online reviews. They undertook the sentiment scoring of customer reviews and then applied a fuzzy logic system to measure customer loyalty. Their experimental results were promising and a high accuracy of 94% was obtained, outperforming baseline methods.

Dalal and Zaveri [9] developed an approach to perform the sentiment classification of customer reviews by using fuzzy linguistic hedges and opinion words. Their proposed fuzzy functions operated on different linguistic hedges and opinion words for a fine-grained SA. Their sentiment mining approach can be applied successfully for both binary as well as fine-grained sentiment classifications. Moreover, for linguistic hedges, their proposed fuzzy functions provide greater accuracy, and they have the ability to be adapted in the future to make use of more intensifiers with versatile weighting.

Reshma *et al.* [10] designed a supervised fuzzy inference system based on hedge functions in the presence of an adverbial modifier. They applied this method to the n-gram patterns of adverbial modifiers. In addition to the identification of opinions, linguistic hedges were also identified, and fuzzy rules were applied to magnify the effect of an opinion. The system produced varying degree values to describe vague and imprecise information, providing promising results.

Katarya and Verma [11] proposed a fully web-based system to classify consumer sentiments using computational intelligence techniques that included fuzzy c-mean clustering. The user-friendly interface greatly attracted the target audience, and further enhancements can be made by focusing on privacy, accuracy, and reliability.

Srivastava and Bhatia [12] developed a supervised fuzzy inference system to quantify the strength of subjective phrases when adverbial modifiers change the intensity of opinion word force with hedges. They conducted an experiment with 50 sentences containing modifiers of unigram and bigram patterns, such as “the screen is beautiful” and “the screen is very beautiful.” They indicated that some error minimization techniques should be used in the future, such as back propagation, so opinion words will be extracted from the input statement and classified using fuzzy logic.

Nadali *et al.* [13] proposed a fuzzy logic model for the semantic classification of customer reviews using a holistic lexicon-based approach. The aim of the study was to increase the accuracy of classifications by combining adjectives, adverbs, and verbs. Experimental results demonstrated that the system was promising. In the future, this model can be improved by conducting parameter tuning.

Rahmath and Ahmad [14] proposed a multi-step opinion mining system that used a rule-based approach to extract features and sentiment scoring to assign polarity class. The proposed technique utilized fuzzy functions to emulate the effect of various linguistic hedges. The fuzzy linguistic hedges operated on opinion descriptors. The accuracy of this system was satisfactory. As a future

development for this research, the rule-set can be refined to extract more dependency relations from datasets.

M. Haque [15] developed a fuzzy-based SA system to assist customers in having a better knowledge of the products that they are interested in. The author tried to quantify what is called “PN-polarity,” whether a point expresses an opinion that could have a positive or negative value based on SentiWordNet (SWN) and tokenization techniques. In the future, it can be extended for feature-based analysis.

Dey and Haque [16] proposed an opinion mining system for classifying customer feedback at different granularity levels. It was observed that the performance of the proposed system was better than other comparing methods for the car domain. However, the scope of the system can be extended to learn context-aware sentiments from a training data set.

Al-Miamani *et al.* [17] proposed a semantic fuzzy-based approach using term presence, stemming, and the K-nearest algorithm. The proposed approach dramatically enhanced improvements to presentation, summarizing, and extraction in order to resolve semantic problems in opinion mining. Future work can be extended through the help of a semantic web methodology.

Toujani and Akaichi [18] worked on the SA of user reviews in the Tunisian language using semi-supervised techniques with the help of a fuzzy support vector machine technique. The language issue was the worst limitation, causing degraded results. In future research, the authors intend to focus on ambulatory-based machine learning to depict spatiotemporal changes in sentiment categorization.

Miao *et al.* [19] proposed a technique for the automatic extraction and classification of product features and sentiments acquired from different sites. For this purpose, different linguistic hedges were integrated, and the performance of the proposed system was evaluated by applying different computational techniques. Further improvements can be made by introducing additional primary membership functions, such as triangular and trapezoidal functions, with approximate reasoning techniques.

1.2. Problem Statement

Existing studies on fuzzy-based SA using linguistic hedges for the analysis of customer feedback and satisfaction have used a limited set of linguistic hedges, [9] and there is a lack of extended rule-sets for fine-grained SA [4]. Therefore, it is important to develop an extended fuzzy-based SA system for the analysis of customer feedback and satisfaction that uses an extended set of fuzzy linguistic hedges for the efficient classification of customer sentiment, thus overcoming the limitations of the aforementioned prior studies. A fuzzy-based SA scheme is proposed in this study that uses an extended set of fuzzy linguistic hedges and a rule-set for the fine-grained SA of customer feedback and satisfaction.

1.3. The Aim of the Study

The aim of this study is to develop a fine-grained SA system using an extended set of fuzzy linguistic hedges for the efficient classification of user feedback and customer satisfaction by extending the work of [4,9].

1.4. Contributions

- i. The development of an extended set of fuzzy linguistic hedges for the efficient classification of sentiment carrier words in customer feedback.
- ii. The proposal and evaluation of an extended rule-set for classifying customer opinions at multi-class levels.
- iii. The development of a fuzzy-based SA system using an extended set of fuzzy linguistic hedges for the fine-grained SA of customer feedback and satisfaction.

An evaluation of the efficiency of the proposed method was performed using state-of-the-art methods.

1.5. Research Questions

The following research questions are addressed in this study:

RQ1: What is the role of an extended set of fuzzy linguistic hedges with respect to the efficient sentiment classification of user reviews for measuring customer satisfaction?

RQ2: How can an existing SA system be improved by extending a rule-set?

RQ3: What is the efficiency of the proposed fine-grained SA system in respect to state-of-the-art methods?

The remainder of this paper is organized as follows: Section 2 describes the proposed methodology, Section 3 provides results and discussion, and finally, Section 4 presents a conclusion and ideas for future work.

2. MATERIAL AND METHODS

The proposed system is comprised of five modules (Figure 1): (i) data acquisition, (ii) preprocessing, (iii) the analysis of linguistic hedges, (iv) the output of a fine-grained SA, and (v) the use of a fuzzy logic-based system for analyzing customer feedback and satisfaction.

2.1. Data Acquisition

To conduct the experiments, we used publicly available datasets of user reviews from three domains, namely (i) drugs (D1), (ii) electronics (D2), and (iii) mobile phones (D3). Descriptions of the acquired data sets are presented in Table 1, showing that there were 1125 reviews in data set D1, 1240 reviews in D2, and 1140 reviews in D3. Furthermore, the number of sentences in each domain is also listed.

2.2. Preprocessing and Text Preparation

The proposed method involves different preprocessing steps, including tweet cleansing, tokenization, stop word removal, and lemmatization [20], which are as follows:

Tweet cleansing: This step removes special symbols, such as query terms, hashtags, URLs punctuation, and special characters, from the input text.




Figure 1 | Projected flow of the system.

Table 1 | Dataset details.

Data Set ID	Domain	No. of Reviews	No. of Sentences
D1	Drugs	1125	4216
D2	Electronics	1240	3330
D3	Mobile phones	1140	3927

Table 2 | A partial list of opinion words.

Injustice	Satisfactory	Marvellous
Loud	Favourite	Peaceful
Progress	Fearless	Insensitivity
Regard	Efficient	Conflict

Word tokenization: The Python-based Natural Language Toolkit (NLTK) tokenizing system is used to tokenize sentences into individual words. Examples of tokenized words include happy and very.

Stop word removal: Stop words, such as from, I, and am, are identified using a predefined list of stop words and eliminated using a text processing script written in the Python language.

Lemmatization: Lemmatization is applied to reduce the words to their stem/root form. Python NLTK-based Lemmatizer is used for this purpose. For example, computers and printers are lemmatized to computer and printer, respectively.

2.3. Opinion Words

These are the input and output variables in the form of words and sentences in any natural language. For example, in the sentence “This drug has an awfully bad taste,” drug is a linguistic variable having linguistic value: bad (opinion word). To extract opinion words from a given text, each term is searched for in the opinion lexicon [21]. A partial list of opinion words is provided in Table 2.

In next step, a sentiment score is assigned to each of the identified opinion words using the SWN lexicon [22], which contains more

than 60,000 entries, for assigning sentiment scores to opinion words appearing in the customer feedback text.

Each word in SWN has different senses. To decide the accurate sense of a sentiment word, we consider three sentiment scores: positive, negative, and neutral multiple senses in SWN [20]. First, we aggregate the sentiment scores of the positive, negative, and neutral words (Eqs. 1-3) as follows:

$$Agg_{ps}(w_i) = \sum_{i=0}^n P(i) \tag{1}$$

$$Agg_{Ng}(w_i) = \sum_{i=0}^n N(i) \tag{2}$$

$$Agg_{neu}(w_i) = \sum_{i=0}^n O(i) \tag{3}$$

In the next step, we compute the average sentiment scores for the positive, negative, and neutral words using Eqs. (4-6) as follows:

$$Ps_{Score}(w_i) = \frac{Agg_{ps}(w_i)}{countSyn(w_i)}, i = 1..n \tag{4}$$

$$Ng_{Score}(w_i) = \frac{Agg_{ng}(w_i)}{countSyn(w_i)} i = 1..n \tag{5}$$

$$Neu_{Score}(w_i) = \frac{Agg_{neu}(w_i)}{countSyn(w_i)} i = 1..n \tag{6}$$

where $Agg_{ps}(w_i)$, $Agg_{ng}(w_i)$, and $Agg_{neu}(w_i)$ are the aggregate sentiment scores of the i th positive, negative, and neutral synset of word w_i and countSyn is the total number of synsets of word w_i .

For example, in the customer review text: “This drug has an awfully bad taste and makes you vomit,” there is a negative opinion word bad with a sentiment score of -0.625 that was computed using Eq. (5) (Table 3).

2.4. Linguistic Hedges

A linguistic hedge is used to modify the shape of a fuzzy set qualifier (linguistic variable). For example, adverbs such as extremely, very, quite, somewhat, and others are some of the hedges commonly used to modify a fuzzy set. In their work on fuzzy linguistic hedges, Dalal and Zaveri [9] proposed a fuzzy-based SA system with modified fuzzy concentrator scores. They used only six modifiers as linguistic hedges. Our study is an extension of this proposed method,

Table 3 | Review text and its associated opinion words.

Sentence ID	Input Sentence	Opinion words	
		Opinion Word	Sentiment Score
1	This drug has an awfully bad taste	Bad	-0.625

increasing the number of enhancer and reducer terms to as many as 20, and the fuzzy functions for linguistic hedges proposed by Khan et al. [23] have also been calibrated for an increased number of power functions to address the extended set of modifiers. The additional hedges were acquired from the published literature [24]. For example, consider the following sentence: “LG AC is totally friendly to the human environment. It produces cooling with incredibly low energy consumption.” Here the words totally and incredibly are linguistic hedges (enhancers), magnifying the overall polarity of the sentence.

Table 4 shows a list of adopted [9] and newly proposed enhancing and reducing intensifiers used as linguistic hedges for the fuzzy-based, fine-grained SA along with example sentences. The implementation code of the aforementioned module is presented in Appendix A and Table 4 shows a list of linguistic hedges (enhancers and reducers) for opinion words.

2.4.1. Computing the sentiment score of the linguistic hedges

To compute the sentiment score of the linguistic hedges (enhancers and reducers) present in the input sentences, we have proposed a revised fuzzy scoring technique (Eq. 7) for linguistic hedges based on Zedah’s proposition (Eq. 7). The proposed method is inspired by the work performed by [9,10]. These studies used a limited number of hedges, and accordingly, the assigned scores have also been revised based on the intensity of the linguistic hedge. The revised scoring is proposed in consultation with linguistic experts. Five human annotators are asked to assign a sentiment score to each newly proposed linguistic hedge. Some example review sentences are presented in Appendix B. After assignment of the sentiment score, the majority voting scheme is used (Eq. 7) to assign the final score.

$$\mathcal{F}(x) = 1 - (1 - \mu(s)) \delta \tag{7}$$

where $\mathcal{F}(x)$ = fuzzy sentiment score derived from this formula after calculating all the values from given table No 3, 4, 5.

$\mu(s)$ = lexicon score, which will be derived from Sentiword Net dictionary all the words and there positive negative scores are available in that dictionary. If the negative score has more value we take negative word to put in our formula as the word has negative intensity and if the positive score is more than negative score than we take positive score for putting in our formula as that word has positive intensity.

δ = hedge score. Taken from Table 4 in our study. Some of these score are derived from old studies and mostly are derived us as those are out contribution of work.

- After putting all these score in the formula we can easily derived out fuzzy sentiment score $\mathcal{F}(x)$
- The revised sentence-level fuzzy-based sentiment score based on the modified fuzzy-based score (Eq. 8) is computed as follows:

$$ow_revised_score(ow_modi) = \left(1 - (1 - ow_score)^{modf_strength}, | -1 \leq ow_score \leq 1 \right) \tag{8}$$

Table 4 | Fuzzy linguistic hedges.

SS.No	Linguistic Hedge/Modifier	Fuzzy Function	Reference
11	A little, a few	$1 - (1 - \text{SentiWordScore})P, P = 1.3$ revised-score) = $1 - (1 - \text{ow_score}) \text{modf_strength}$	[9]
22	Somewhat, approximately, nearly	$1 - (1 - \text{SentiWordScore})P, P = 1.2$	[9]
23	Very, really	$1 - (1 - \text{SentiWordScore})P, P = 2$	[10]
44	Slightly, weakly	$1 - (1 - \text{SentiWordScore})P, P = 1.7$	[25]
15	Extremely, tremendously	$1 - (1 - \text{SentiWordScore})P, P = 3$	[25]
16	Very very	$1 - (1 - \text{SentiWordScore})P, P = 4$	[25]
77	Outrageously	$1 - (1 - \text{SentiWordScore})P, P = 1/4$	Proposed
88	Strikingly	$1 - (1 - \text{SentiWordScore})P, P = 1.5$	Proposed
99	Fairly	$1 - (1 - \text{SentiWordScore})P, P = 0.8$	Proposed
110	Too	$1 - (1 - \text{SentiWordScore})P, P = 1.6$	Proposed
111	Marginally	$1 - (1 - \text{SentiWordScore})P, P = 1.7$	Proposed
112	Incredibly	$1 - (1 - \text{SentiWordScore})P, P = 2.5$	Proposed
113	Exquisitely	$1 - (1 - \text{SentiWordScore})P, P = 2.8$	Proposed
114	Luminously	$1 - (1 - \text{SentiWordScore})P, P = 2.5$	Proposed
115	Awfully	$1 - (1 - \text{SentiWordScore})P, P = 2.3$	Proposed
116	Virtually	$1 - (1 - \text{SentiWordScore})P, P = 2.2$	Proposed
117	Phenomenally	$1 - (1 - \text{SentiWordScore})P, P = 3.5$	Proposed
118	Totally	$1 - (1 - \text{SentiWordScore})P, P = 4.5$	Proposed
119	Ravishingly	$1 - (1 - \text{SentiWordScore})P, P = 3.2$	Proposed
220	Mushy	$1 - (1 - \text{SentiWordScore})P, P = 3$	Proposed

Table 5 | Review text and the associated linguistic hedges.

Sentence ID	Input Sentence	Linguistic Hedges		
		Enhancer Modifier	Reducer Modifier	Negation
1	This drug has an awfully bad taste	Awfully (sentiment score: 2.3)	-	-
2	I am not really satisfied with it	Really (sentiment score: 2)	-	Not (-1)

Table 6 | Symbols associated with opinion words and linguistic hedges.

Mathematical Symbol	Description
$Ps_{\text{Score}}(w_i)$	Average sentiment scores for the i th positive word
$Ng_{\text{Score}}(w_i)$	Average sentiment scores for the i th negative word
$Neu_{\text{Score}}(w_i)$	Average sentiment scores for the i th neutral word
$Agg_{ps}(w_i)$	Aggregate sentiment score of the positive words
$Agg_{ng}(w_i)$	Aggregate sentiment score of the negative words
$Agg_{neu}(w_i)$	Aggregate sentiment score of the neutral words
countSyn	Total number of synsets of word w_i .
$\mathcal{F}(x)$	Fuzzy sentiment score
$\mu(s)$	Lexicon score
δ	Hedge score

Here ow_score is the sentiment score of an opinion word, and $modf_strength$ shows the weight of the fuzzy linguistic hedge. Table 5 shows the sample sentences and their associated linguistic hedges.

Table 6 shows description of Symbols associated with opinion words and linguistic hedges.

2.4.2. Example review

We now apply the proposed technique on the input review: “This drug has an awfully bad taste and makes you vomit. I am not really satisfied with it.”

Taking the first sentence: We take the first sentence of the review as: “This drug has an awfully bad taste and makes you vomit.” In this sentence, the sentiment score retrieved from the SWN lexicon (sentiwordnet.isti) of the opinion word bad is 0.625, showing a negative sentiment class, so the score will be multiplied by -1 . The $modf_strength$ of the fuzzy linguistic hedge (modifier) awfully has received a value of 2.3, which was retrieved from Table 4. Therefore, the intensified sentiment strength of an opinion word is computed as follows (using Eq. 8).

$$ow_revised_score(ow_modi) = 1 - (1 - ow_score)^{modf_strength}$$

$$ow_revised_score(ow_modi) = 1 - (1 - 0.625) 2.3 = 0.8952 \times -1 = -0.8952$$

Taking the second Sentence: We take the second sentence of the review as: “I am not really satisfied with it.” In this sentence, the sentiment score retrieved from the SWN lexicon of the opinion word satisfied is 0.1875, showing a positive sentiment class. The $modf_strength$ of the fuzzy linguistic hedge (modifier) really is 2, which was retrieved from Table 4. Therefore, the intensified sentiment strength of the opinion word is computed as follows (using Eq. 8), and as this has a negation in the sentence, the value is multiplied with -1 .

$$ow_revised_score(ow_modi) = 1 - (1 - ow_score)^{modf_strength}$$

$$ow_revised_score(ow_modi) = 1 - (1 - 0.1875) 2 = 0.3398 \times -1 = -0.3398$$

Table 7 shows sample sentences and their associated opinion words and linguistic hedges.

Table 7 Review text and associated opinion words and linguistic hedges

S.No	Input Sentence	Opinion Words		Linguistic Hedges		
		+ve	-ve	Enhancer	Reducer	Negation
1	This drug has an awfully bad taste		Bad (-0.625)	Awfully (sentiment score: 2.3)	-	-
2	I am not really satisfied with it	Satisfied (0.1875)		Really (sentiment score: 2)	-	Not (-1)

2.4.3. Computing the review-level sentiment score

To compute the sentiment score of an entire review, the average score of all sentences is computed as follows:

$$os_{avg} = \frac{1}{n} \times \sum_{i=1}^n ow_revised_score(ow_modi)_i \quad (9)$$

where $ow_revised_score(ow_modi)_i$ is the sentiment score of the i th sentence (Eq. 8) and n is the total number of sentences in a given review. Considering the example review and putting the values in Eq. (9), we get

$$os_{avg} = \frac{-0.8952 + (-0.3398)}{2} = -0.6175$$

Since it is necessary for the value of os_{avg} to be between 0 and 1, we normalize its value using min-max normalization. Upon applying min-max normalization to os_{avg} , we get the normalized fuzzy bias value as follows:

$$os_{avg} = \frac{os_{avg} + 1}{2}$$

$$os_{avg} = \frac{-0.6175 + 1}{2} = 0.1912$$

As an enhancement to the work proposed by Dalal and Zaveri [9], we suggest an extended set of rules. Dalal and Zaveri introduced a rule-set at five levels of granularity, whereas we extend it to seven levels (Eq. 10) for tagging the input of a customer review to a sentiment class at a fine-grained level. This is computed as follows:

$$sent_class(c) = \begin{cases} \text{“extremely negative”, if } (os_{avg} \geq 0 \text{ and } os_{avg} \leq 0.166) \\ \text{“very negative”, else if } (os_{avg} > 0.166 \text{ and } os_{avg} \leq 0.332) \\ \text{“negative”, else if } (os_{avg} > 0.332 \text{ and } os_{avg} < 0.50) \\ \text{“neutral”, else if } (os_{avg} = 0.50) \\ \text{“positive”, else if } (os_{avg} > 0.50 \text{ and } os_{avg} \leq 0.666) \\ \text{“very positive”, else if } (os_{avg} > 0.666 \text{ and } os_{avg} \leq 0.832) \\ \text{“extremely positive”, else if } (os_{avg} > 0.832 \text{ and } os_{avg} \leq 1) \end{cases} \quad (10)$$

2.5. Output of Fine-Grained SA

The output of the fine-grained SA is a sentiment class assigned on the basis of Eq. (10). Using the aforementioned value of os_{avg} computed using Eq. (9) (“ $os_{avg} = 0.1912$ ”), when the sentiment score has been evaluated using Eq. (4), we then get the sentiment class as

$$sent_class(c) = \text{“Very Negative”}$$

The aforementioned sentiment class (i.e., very negative) is the output of our proposed fine-grained SA system. In the next phase, we measure customer satisfaction by applying different steps of the fuzzy logic system as shown in the following section.

2.6. Fuzzy Logic-Based System for Measuring Customer Satisfaction

In this phase, we apply the fuzzy logic system (Figure 2) to quantify customer satisfaction with a product based on a given user review. For this purpose, the following steps are taken [2]:

Step 1: Define the input and output of the linguistic variables and their respective terms (fuzzy sets).

Step 2: Transform the crisp input into fuzzy values using the membership function (Fuzzification).

Step 3: Build the membership functions for the fuzzy sets

Step 4: Build the fuzzy if/then rules.

Step 5: Defuzzification: Transform the fuzzy values into crisp values (non-fuzzy values).

2.6.1. Input-output linguistic variables

The input-output linguistic variables for the fuzzy system consist of a set of linguistic terms described as follows: We take $sent_class(c)$ as an input variable and customer satisfaction(cs) as an output linguistic variable, and their respective linguistic terms are: $(c) = \{\text{extremely negative, very negative, negative, neutral, positive, very positive, extremely positive}\}$ and $(cs) = \{\text{extremely low, very low, low, moderate, high, very high, extremely high}\}$ [26].

2.6.2. Fuzzification

In a fuzzy logic system, the first step includes the identification of the input-output variables. In this process, a crisp set is transformed into a fuzzy set, and this process is called fuzzification. The aim of the proposed fuzzy model is to measure the satisfaction level for a customer as either extremely low, very low, moderate, high, very high, or extremely high. Mathematically, we describe the fuzzy logic system using Eq. (11) as follows [27]:

$$A = \{x, \mu A(x) | x \in X\} \quad (11)$$

where $\mu A(x)$ shows the membership function or degree of the membership function of x in A , and X is the universe of discourse or universal set.

2.6.3. Fuzzy membership function

In a fuzzy logic system, the fuzzification and defuzzification steps are performed using membership functions in order to map crisp input values into fuzzy values. For instance, in Figure 3, the

membership functions for the linguistic terms of the sent_class variable are plotted.

The fuzzy membership functions are used for making a decision on the input crisp values. These include Gaussian membership, Bell membership, triangular membership function, and others. [13]. However, in this study, we used a triangular membership function (trimf), represented as follows (Eq. 12):

$$\text{trimf}(x : a, b, c) = \begin{cases} 0 & x \leq a \\ \frac{x - a}{b - a} & a \leq x \leq b \\ \frac{c - x}{c - b} & b \leq x \leq c \\ 0 & c \leq x \end{cases} \quad (12)$$

The triangular membership function is defined by three parameters [a, b, c], where a represents the lower boundary, c is the upper boundary, 0 is the membership degree, and b represents the center, where the membership degree is 1. The graphical representation is given as follows (Figure 4):

2.6.4. Fuzzy if/then rules

Now we will construct some fuzzy if/then rules to control the output variable. The general form of the fuzzy rules can be expressed as follows [28]: If x is A then y is B: where A and B are linguistic values defined by the fuzzy sets on the ranges of x and y, the If part is the antecedent while the then part is the consequent [2]. An example of such a rule is: If (sentclass is very negative) then (custsatisfaction is low). The rules included in our fuzzy-based system are listed in Table 8.

2.6.5. Defuzzification

To transform the fuzzy value into a crisp value and find the final customer satisfaction value, the defuzzification function is used. The well-known Mamdani defuzzifier center of gravity operator is used in this study. It computes the center of gravity using Eq. (13) [2] as follows:

$$Y = \frac{\int_{\min}^{\max} \mu(y) y dy}{\int_{\min}^{\max} \mu(y) dy} \quad (13)$$

where Y is the result of defuzzification, $\mu(y)$ is the membership function, y is the output variable, min is the lower limit, and max is the maximum limit for defuzzification.

Rules for defuzzification: In this step, the fuzzy rules are defined in the form of if-then conditional statements [29] where x represents




Figure 2 | Fuzzy logic-based system.




Figure 3 | Membership functions for the linguistic variable sent class.




Figure 4 | The shape of trimf.

Table 8 | Fuzzy rules for customer satisfaction.

Fuzzy Rules	
1.	If (sentclass is extremely negative) then (customersatisfaction isextremely low)
2.	If (sentclass is very negative) then (customersatisfaction is very low)
3.	If (sentclass is negative) then (customersatisfaction is low)
4.	If (sentclass is neutral) then (customersatisfaction is moderate)
5.	If (sentclass is positive) then (customersatisfaction is high)
6.	If (sentclass is very positive) then (customersatisfaction is very high)
7.	If (sentclass is extremely positive) then (customersatisfaction is extremely high)

the sentiment class while Y represents customer satisfaction. The defuzzification rules are presented in Table 9.

Figure 5 depicts a snapshot in which the membership functions of the linguistic terms for variable customer satisfaction are plotted:

We apply the rules that are simulated in MATLAB for evaluating customer satisfaction with sentiment scores that show the relationship between sentiment scores and customer satisfaction. For example, Figure 6 depicts that if we have a sentiment score of 0.191, it is considered more negative than a customer satisfaction score of 0.42, which is also low and very close to the value of the sentiment score.

For the given input customer review (“This drug has an awfully bad taste and makes you vomit. I am not really satisfied with it”), we have reached the conclusion that customer satisfaction level is low, which means that the customer is not satisfied based on the example review presented in Section 3.3.2.

We again and again apply these rules at our different sentences and got results again that are simulated in MATLAB for evaluating customer satisfaction with sentiment scores that show the relationship between sentiment scores and customer satisfaction. For example,

Table 9 | Defuzzification rules.

Rules for Defuzzification

- if ($x \leq 0.166$) then $Y = \text{'extremely low'}$
- if ($x \geq 0.166$ and $x \leq 0.332$) then $Y = \text{'very low'}$
- if ($x \geq 0.332$ and $x \leq 0.5$) then $Y = \text{'low'}$
- if ($x = 0.5$) then $Y = \text{'moderate'}$
- if ($x \geq 0.5$ and $x \leq 0.666$) then $Y = \text{'extremely high'}$
- if ($x \geq 0.666$ and $x \leq 0.832$) then $Y = \text{'very high'}$
- if ($x \geq 0.832$ and $x \leq 1$) then $Y = \text{'high'}$




Figure 5 | Membership functions for linguistic variable customer satisfaction.




Figure 6 | MATLAB rule viewer.

Figure 6 depicts that if we have a sentiment score of 0.191, it is considered more negative than a customer satisfaction score of 0.42, which is also low and very close to the value of the sentiment score.

Table 10 shows description of Symbols associated with Fuzzy module.

3. RESULTS AND DISCUSSION

In this chapter, we present the results obtained by answering the posed research questions.

3.1. Answer to RQ1: What Is the Role of an Extended Set of Fuzzy Linguistic Hedges with Respect to the Efficient Sentiment Classification of User Reviews for Measuring Customer Satisfaction?

To answer RQ1, we extended a set of fuzzy linguistic hedges (details given in the methods section). It is evident from Table 4 that the studies conducted by [9,10,25] used 12 linguistic hedges along with their fuzzy functions. However, we have extended this with 12 additional fuzzy linguistic hedges along with their fuzzy functions. Table 11 shows a list of example sentences, along with their detected linguistic hedges and their polarity-related details. For example, in input sentence number 01, the detected hedges are awfully and exquisitely, which were not available in the baseline studies [9,10]. However, when the sentence is passed through the proposed system, the newly assigned polarity class is very positive with a sentiment score of 0.7259.

Considering sentence number 02, the detected linguistic hedges are very very and strikingly. The linguistic hedge very very is present in the baseline studies, and therefore, the assigned sentiment class is very negative on the basis of the computed sentiment score of 0.24549. However, when the same sentence is passed through with the newly proposed classifier, then both of the aforementioned linguistic hedges (very very and strikingly) are detected and the sentiment class is accordingly revised to extremely negative on the basis of the newly computed sentiment score (0.09724).

Table 12 shows that the performance of the proposed system using linguistic hedges is better than not using linguistic hedges

Table 10 | Symbols associated with fuzzy module.

Mathematical Symbol	Description
$\mu_A(x)$	Degree of the membership function of x in A
X	The universe of discourse or universal set.
Trimf	Triangular membership function
Y	Result of defuzzification
$\mu(y)$	Membership function
min	Lower limit for defuzzification
max	Maximum limit for defuzzification

Table 11 | New vs. old hedge associations.

S. No.	Input Sentence	Detected Hedge(s)	Availability in Baseline Papers [9,10] and Sentiment Scoring	Availability in Proposed Work and Sentiment Scoring	Polarity Change or no Change
01	Suffering from pain in my stomach gave me awfully bad problems with bloot and dizziness. I was prescribed this drug, and it has worked wonders exquisitely!	<i>Awfully, exquisitely</i>	Hedges not found	Yes <i>Very positive</i> 0.7259	Polarity shift
02	I had a very very bad infection that required the use of a drug. Flagyl had strikingly bad effects on my health	<i>Very very, strikingly</i>	<i>Strikingly</i> not available, <i>Very negative</i> 0.24549	Yes <i>Extremely negative</i> 0.09724	Polarity shift
03	This mushy balm helps me to relieve muscle pain. And, it makes me marginally comfortable	<i>Mushy, marginally</i>	Hedges not found	Yes <i>Very positive</i> 0.6726	Polarity shift
04	I have been continuously fatigued for 2 months and my sleeping routine has been ravishingly disturbed. My doctor recommended this tranquilizer to me, and it is very very effective	<i>Ravishingly, Very very</i>	<i>Ravishingly, Very very</i> <i>Extremely positive</i> 0.8586	Yes <i>Neutral</i> 0.50	Polarity shift
05	The LED light is basically colorful with a really solid aluminum wire. But with the combination of an oxidized frame, the LED comes through with an incredibly bright color	<i>Really, incredibly</i>	<i>Incredibly</i> not available 0.5586 <i>Positive</i>	Yes 0.6914 <i>Very positive</i>	Polarity shift
06	TV is an extremely friendly agent of socialization. It makes marginally wrong boundaries between family gatherings	<i>Extremely, marginally</i>	<i>Marginally</i> not available 0.6547 <i>Positive</i>	0.4519 <i>Negative</i>	Polarity shift
07	Early in her life she became almost totally blind as she used her mobile phone too dangerously, and she entered an eye care hospital when she was fourteen years old	<i>Totally, too</i>	<i>Too</i> not available 0.6333 <i>Positive</i>	Yes 0.3755 <i>Negative</i>	Polarity shift
08	Sometimes she tries to spell very short words with her mobile dictionary. But she is too young to remember the hard words	Very, too	<i>Too</i> not available 0.5860 <i>Positive</i>	Yes 0.61055 <i>Very positive</i>	Polarity shift

3.2. Answer to RQ2: How Can an Existing SA System Be Improved by Extending a Rule-Set?

The baseline study conducted on the development of an SA (opinion mining) system used fuzzy linguistic hedges and five classes (VP, PO, NU, NE, and VN) in its rule-set. As an enhancement of the baseline study, we proposed two additional classes

(extremely positive and extremely negative), thereby increasing the number of classes from five to seven. The results (output) presented in Table 13 depict the polarity classes, and the sentences using our proposed method produce a polarity shift. This polarity shift results in an accuracy improvement over the baseline study.

The accuracy-based comparison presented in Table 14 shows that the proposed extension in the number of classes in the rule-set has yielded better results through improved accuracy.

Algorithm 1: An extended set of fuzzy linguistic hedges for the efficient classification and measurement of customer satisfaction.

Step I: **Input** Tweet (t) dataset (D) as csv file.

Step II: Break tweets in words as tokens using tokenizer.

Step III: Build and import the **SentiWordNet Lexicon** to assign sentiment score to each opinion word.

Step IV: Build fuzzy linguistic hedges

Step IV: Applying Preprocessing on each tweet

Step V: **Procedure Customer_satisfaction using Fuzzy-Linguistic-Hedges (t)**

Build Fuzzy linguistic Hedges Function

While (t in D) do

Sentiment Scoring of opinion words

Retrieve sentiment score from SentiWordNet for each opinion word using Eqs. (4-6)

Fuzzy Linguistic Hedges

if (hedges in t) then

Extract fuzzy linguistic hedges (Table 4)

Assign hedge score (Eq. 8)

end if

Sentiment Scoring of Fuzzy Linguistic Hedges

Compute final sentiment scoring (lexicon +hedge) using fuzzy function (sentence-level) using Eq. (9).

Assign sentiment as extremely +ive, very +ive, +ive, neutral, -ive, very -ive, or extremely -ive using Eq. (10)

Apply fuzzy logic system on the sentiment classes

Perform input fuzzification using Eq. (11).

Applying if/then rules as listed in Table 8

Perform Defuzzification using Eq. (13).

Computing customer satisfaction

Applying membership function for computing customer satisfaction as 'extremely low', 'very low', 'low', 'moderate', 'extremely high', 'very high', 'high' (Figure 5 and 6)

Output: return Customer satisfaction

End while

End Procedure

Table 12 | Performance of the proposed system using.

	A	P	R	F
With linguistic hedges (proposed)	0.85	0.85	0.92	0.90
Without linguistic hedges [2]	0.79	0.81	0.82	0.82

3.3. Answer to RQ3: What Is the Efficiency of the Proposed Fine-Grained SA System in Respect to State-of-the-Art Methods?

To answer RQ3, we conducted an experiment to compare the performance of the proposed system with the baseline studies and the results are reported in Table 15. The results presented in Table 15 show that the performance of the proposed system in different evaluation metrics, namely precision, recall, F-measure, and accuracy, is better than that in the baseline studies, outperforming the compared methods with improved results. Therefore, it can be concluded that the extension of the number of classes (rule-set) and the use of the fuzzy linguistic hedges have made the proposed system more efficient in terms of fine-grained SA of customer feedback and satisfaction. Furthermore, the results presented in Table 15 show that the addition/extension of 12 new linguistic hedges along with

the existing 12 hedges reported in the literature review, producing 24 linguistic hedges (12 + 12) and their associated fuzzy functions, has produced promising and improved results. Therefore, it can be concluded that the proposed system has outperformed the baseline studies with respect to more accurate sentiment classification.

3.4. Measuring Customer Satisfaction Level

To evaluate the efficiency of the proposed fuzzy-based model, we plotted a chart of the customer satisfaction levels with their respective sentiment score (Figure 7). The x-axis denotes customer satisfaction level, and the y-axis denotes sentiment score. If we have a sentiment score of 0.5, then it can be seen that the customer satisfaction level is also 0.5. We can also say that, if the sentiment score is 0.5, it is considered as neutral and customer satisfaction is 0.5, and thus, the level of customer satisfaction is moderate. We have analyzed that the customer satisfaction level is directly proportional to the sentiment score, and with an increase in sentiment score, there is a gradual increase in the customer satisfaction score. However, there is a limitation for one of the sentiment classes, negative (0.40), in that the customer satisfaction score decreases and is 0.25.

3.5. Statistical Analysis

Two experiments were conducted to investigate whether the proposed fuzzy-based fine-grained SA model for the analysis of customer feedback and satisfaction based on extended linguistic hedges is statistically more significant than that of a fuzzy-based SA system for customer feedback analysis based on opinion words only and that this does not occur by chance. We randomly chose 273 reviews from the dataset, and each review was classified by both the fuzzy-based SA system with extended linguistic hedges (proposed) and the fuzzy-based SA system without linguistic hedges. We formulated the following null and alternate hypothesis: H0: The error rate of the two models is the same, and HA: The error rate of both models is significantly different.

We computed the McNemar's test statistic (chi-squared) with one degree of freedom as follows [30]:

$$\chi^2 = \frac{(|m - n| - 1)^2}{(m + n)}$$

Table 16 shows the significant results.

The results presented in Table 16 were obtained by conducting an experiment to evaluate the performance of one of the baseline SA methods that does not use linguistic hedges. The results show that the baseline method without using fuzzy linguistic hedges gave a poor performance (accuracy, precision, recall, and f-measure) for customer feedback SA. However, the experiment conducted on the analysis of customer feedback and satisfaction using linguistic hedges performed significantly better than the baseline method [2], achieving accuracy of 85%.

The statistical test has demonstrated that the difference between the performance of the proposed method (with linguistic hedges) and the baseline method [2] (without linguistic hedges) is statistically different. Disagreement between the two models (Table 16) can be observed in 60 reviews, and the two models behaved differently with the two treatments: with linguistic hedges and without

Table 13 Accuracy-based comparison.

Study	Domain	No. of Classes in Rule-set	Accuracy (%)
Dalal and Zaveri [9]	SA of customer feedback	05	86.4
Priyanka and Gupta [4]	SA of customer feedback	05	84.88
Ghani et al. [2]	SA of customer feedback	3	82.38
Proposed method	SA of customer feedback	07	90

Table 14 Computation of polarity class shift w.r.t rule-set of the baseline and proposed work.

S. No	Example Sentence	Polarity Score and Class Using the Rule-set Used in the Baseline Study [9,10]	Polarity Score and Class Using Revised the Rule-Set Used in the Proposed Method	Comments
1	So, this drug makes you awfully hungry and you feel like eating everything	0.3441 Following Review is <i>negative</i>	0.3441 Following review is <i>very negative</i>	Polarity shift
2	My grandmother has been suffering from epilepsy, and a regular dose of this drug has been the phenomenally best treatment her of her disease	0.8604 Following review is <i>VERY positive</i>	0.8604 Following review is <i>extremely positive</i>	Polarity shift
3	Traditional Chinese mobile phones sold fairly well all over the world	0.6675 Following review is <i>Positive</i>	0.6675 Following review is <i>very positive</i>	Polarity shift
4	When her fingers are too tired to write messages on the mobile phone, then she should stop chatting and take a rest	0.6413 Following review is <i>positive</i>	0.6413 Following review is <i>positive</i>	No shift
5	Your loving attitude toward her in this condition will be perfect, and it will be the very very best treatment for her disease	0.8836 Following review is <i>very positive</i>	0.8836 Following review is in <i>extremely positive</i>	Polarity shift

Table 15 Comparison with baseline studies.

Study	Method (Techniques)	P (%)	R (%)	F (%)	A (%)
Dalal and Zaveri [9]	5 classes 5 hedges	70.44	81.27	82	86.4
Reshma and [10]	5 classes 2 hedges	76.14	76.32	77	76.32
Proposed	7 classes 12 hedges	90	94.7	92	90

Table 16 Computation of performance differences between baseline (without linguistic hedges) and the proposed model (with linguistic hedges) using a significance test.

	Baseline Model [2] without Linguistic Hedges (Opinion Words Only) Correctly Classified	Incorrectly Classified
Correctly classified		
Proposed model (with linguistic hedges)	200	40
Incorrectly classified	18	15



Figure 7 Evaluation of customer satisfaction level with sentiment score.

linguistic hedges. After applying the McNemar’s test, we received a chi-squared value of 3.46 and a two-tailed *p*-value of 0.015 for a degree of freedom = 1. Hence, the null hypothesis is rejected

(*p*-value < 0.5) and alternate hypothesis is supported, and thus, the proposed fuzzy-based SA system with linguistic hedges has demonstrated greater statistical significance than the fuzzy-based SA without linguistic hedges.

It is evident from the above discussion that the inclusion of an extended set of fuzzy linguistic hedges has improved the performance of the proposed system significantly for the fine-grained SA of customer feedback and satisfaction.

4. CONCLUSION AND FUTURE WORK

The proposed system aimed at the development of a fine-grained SA system for analyzing customer feedback and satisfaction using an extended set of fuzzy linguistic hedges. It is comprised of the following modules: (i) customer feedback data-set collections in three different domains, namely mobile phones, electronics, and

drugs, (ii) data-set cleaning using preprocessing, (iii) the sentiment classification of opinion words and linguistic hedges, (iv) output in the form of fine-grained SA, and (v) the application of a fuzzy-logic system for measuring customer satisfaction.

Using fuzzy-based linguistic hedges and an extended rule-set, the proposed method can be used to classify the input text (customer reviews) into seven SA classes, namely extremely positive, very positive, positive, neutral, negative, very negative, or extremely negative. Then, the fuzzy logic system is applied to analyze customer feedback and satisfaction.

The experimental results show the efficiency of the proposed system through the improved performance over the compared methods. The system can easily classify customer reviews into the aforementioned fuzzy-based sentiment classes for customer satisfaction through the extension of the linguistic hedges and rule-set.

4.1. Limitations

- i. The proposed system cannot correctly classify ambiguous/context-dependent words, such as big, high, hard, and black. For example, in the input sentence “The prices of the drugs are very high, so they are not approachable for poor patients” the word high is giving positive polarity, and therefore, the entire sentence is classified as positive, which is incorrect.
- ii. The system cannot classify an input review with a grammatical mistake. For example, the input sentence “My pen is really the best thing in my pocket” is grammatically correct, but the sentence “Really best thing in my pocket is my pen” is wrong because it is grammatically incorrect.
- iii. A limitation of the proposed system while handling negations is that it can only handle explicit negations, whereas the negations in an abbreviated form cannot be classified. For example, the system can recognize the words cannot, but it cannot recognize the words cannot or can't.
- iv. The sentiment scoring technique used in this study is based on the SWN lexicon. If the sentiment score of an opinion word is not present in the SWN lexicon, then the system cannot correctly assign a sentiment score to the word, and an incorrect classification is made.
- v. The proposed rule-set is based on seven polarity classes. An increase in the number of polarity classes can sometimes affect classification accuracy [31].

4.2. Future Work

- i. The proposed system can be enhanced to correctly classify context-dependent words. For this purpose, some context/domain-dependent classification schemes can be incorporated for the efficient classification of these words (big, high, hard, and black). Additionally, incorporating a word sense disambiguation strategy can also assist in the classification of these kinds of ambiguous words.
- ii. The inclusion of a grammar or spell correction module in the preprocessing phase can improve the classification performance of the proposed system.

- iii. The negation handling module can be enriched by expanding the dictionary to cope with all kinds of explicit as well as abbreviated negations.
- iv. In addition to the SWN, other state-of-the-art sentiment lexicons, such as SenticNet, need to be investigated for assigning sentiment scores to the opinion words that are not available in the SWN.
- v. Further experimentations are required with a varied number of polarity classes in the rule-set to evaluate the efficiency of the proposed system.

CONFLICT OF INTEREST

All authors declare that they have no conflict of interest.

AUTHORS' CONTRIBUTIONS

Conceptualization: AK, MZA. Data curation: WP, MZA. Formal analysis: UY, FKS. Investigation: WP, NJ. Methodology: WP, MZA. Project administration: AK. Resources: IAH, AK, NJ. Software: MZA, WP. Supervision: MZA. Validation: MZA, WP. Visualization: WP, UY, FKS. Writing—original draft: MZA. Writing—review and editing: IAH, AK. All authors read and approved the final manuscript.

Funding Statement

This Research work was supported by Zayed University Research Incentives Fund#R18052, co-funded by Norwegian university of science and technology, Ålesund, Norway.

ETHICAL APPROVAL

This article does not contain any studies with human participants performed by any of the authors and does not contain any studies with animals performed by any of the authors.

DATA AVAILABILITY

The supplementary data used to support the findings of this study are available from the corresponding author upon request.

ACKNOWLEDGMENTS

This Research work was supported by Zayed University Research Incentives Fund#R18052, co-funded by Norwegian university of science and technology, Ålesund, Norway.

SUPPLEMENTARY MATERIALS

Supplementary data related to this article can be found at <https://doi.org/10.2991/ijcis.d.200513.001>

REFERENCES

- [1] M.Z. Asghar, F. Rahman, F.M. Kundi, S. Ahmad, Development of stock market trend prediction system using multiple regression, *Comput. Math. Organ. Theory*. 25 (2019), 271–301.
- [2] U. Ghani, I. Bajwa, A. Ashfaq, A fuzzy logic based intelligent system for measuring customer loyalty and decision making, *Symmetry*. 10 (2018), 761.
- [3] M.I. Boloş, I.A. Bradea, C. Delcea, A fuzzy logic algorithm for optimizing the investment decisions within companies, *Symmetry*. 11 (2019), 186.
- [4] C. Priyanka, D. Gupta, Fine grained sentiment classification of customer reviews using computational intelligent technique, *Int. J. Technol.* 7 (2015), 1453–1468.
- [5] X. Wang, H. Zhang, Z. Xu, Public sentiments analysis based on fuzzy logic for text, *Int. Softw. Eng. Knowl. Eng.* 26 (2016), 1341–1360.
- [6] X. Ding, B. Liu, P.S. Yu, A holistic lexicon-based approach to opinion mining, in *Proceedings of the 2008 International Conference on Web Search and Data Mining*, ACM, New York, NY, USA, 2008, pp. 231–240.
- [7] M.Z. Asghar, Z. Khan, S. Ahmad, M. Qasim, I.A. Khan, Lexicon-enhanced sentiment analysis framework using rule-based classification scheme, *PLoS One*. 12 (2017), e0171649.
- [8] V.N. Huynh, T.B. Ho, Y. Nakamori, A parametric representation of linguistic hedges in Zadeh's fuzzy logic, *Int. J. Approx. Reason.* 30 (2002), 203–223.
- [9] M.K. Dalal, M.A. Zaveri, Opinion mining from online user reviews using fuzzy linguistic hedges, *Appl. Comput. Intell. Soft Comput.* 2014 (2014), 1–9.
- [10] V. Reshma, A. John, Aspect based summarization of reviews using naïve Bayesian classifier and fuzzy logic, in *2015 International Conference on Control Communication & Computing India (ICCC)*, IEEE, Trivandrum, India, 2015, pp. 617–621.
- [11] R. Katarya, O.P. Verma, An effective web page recommender system with fuzzy c-mean clustering, *Multimed. Tools Appl.* 76 (2017), 21481–21496.
- [12] R. Srivastava, M.P.S. Bhatia, Quantifying modified opinion strength: a fuzzy inference system for sentiment analysis, in *2013 International Conference on Advances in Computing, Communications and Informatics (ICACCI)*, IEEE, Mysore, India, 2013, pp. 1512–1519.
- [13] S. Nadali, M.A.A. Murad, R.A. Kadir, Sentiment classification of customer reviews based on fuzzy logic, in *2010 International Symposium in Information Technology (ITSim)*, IEEE, Kuala Lumpur, Malaysia, 2010, vol. 2, pp. 1037–1044.
- [14] P.H. Rahmath, T. Ahmad, Fuzzy based sentiment analysis of online product reviews using machine learning techniques, *Int. J. Comput. Appl.* 99 (2014), 9–16.
- [15] M. Haque, Sentiment analysis by using fuzzy logic, arXiv preprint arXiv: 1403.3185, 2014.
- [16] L. Dey, S.M. Haque, Opinion mining from noisy text data, *Int. J. Doc. Anal. Recognit.* 12 (2009), 205–226.
- [17] M. Al-Maimani, N. Salim, A.M. Al-Naamany, Semantic and fuzzy aspects of opinion mining, *J. Theor. Appl. Inf. Technol.* 63 (2014), 330–342.
- [18] R. Toujani, J. Akaichi, Fuzzy sentiment classification in social network facebook' statuses mining, in *2017 International Conference on IEEE Information and Digital Technologies (IDT)*, IEEE, Hammamet, Tunisia, 2017, pp. 393–397.
- [19] Q. Miao, Q. Li, D. Zeng, Fine-grained opinion mining by integrating multiple review sources, *J. Am. Soc. Inf. Sci. Technol.* 61 (2010), 2288–2299.
- [20] M.Z. Asghar, A. Khan, F. Khan, F.M. Kundi, Rift: a rule induction framework for twitter sentiment analysis, *Arab. J. Sci. Eng.* 43 (2018), 857–877.
- [21] B. Liu, Opinion lexicon, 2018. <http://www.cs.uic.edu/~liub/FBS/sentiment-analysis.html#lexicon>.
- [22] S. Baccianella, A. Esuli, F. Sebastiani, Sentiwordnet 3.0: an enhanced lexical resource for sentiment analysis and opinion mining, in *Proceedings of the Seventh International Conference on Language Resources and Evaluation (LREC'10)*, Valletta, Malta, 2010, vol. 10, pp. 2200–2204.
- [23] A.Z. Khan, M. Atique, V.M. Thakare, Combining lexicon-based and learning-based methods for Twitter sentiment analysis, *Int. J. Electron. Commun. Soft Comput. Sci. Eng.* 89 (2015).
- [24] A.S. Hornby, A.P. Cowie, *Oxford Advanced Learner's Dictionary*, vol. 1430, Oxford University Press, Oxford, UK, 1995.
- [25] A. Kusiak, *Part 1 Fuzzy Logics*, The University of Iowa, Iowa City, IA, USA, 2004.
- [26] F.S.M. Nobre, J.J. Nakasone, A.G.B. Palhares, M.K. Madrid, R. Roy, Fuzzy logic in management control: a case study, in *Proceedings of the 2000 IEEE Engineering Management Society, EMS - 2000 (Cat. No.00CH37139)*, Albuquerque, NM, USA, 2000, pp. 414–419.
- [27] Electricity Technology, What is fuzzy logic system – operation, examples, advantages & applications, 2019. <https://www.electricaltechnology.org/2018/02/fuzzy-logic-system.html>.
- [28] A.Y. Darestani, A.E. Jahromi, Measuring customer satisfaction using a fuzzy inference system, *J. Appl. Sci.* 9 (2009), 469–478.
- [29] A. Mary, L. Arockiam, A framework for aspect based sentiment analysis using fuzzy logic, *ICTACT J. Soft Comput.* 8 (2018), 1611–1615.
- [30] Q. McNemar, Note on the sampling error of the difference between correlated proportions or percentages, *Psychometrika*. 12 (1947), 153–157. http://rasbt.github.io/mlxtend/user_guide/evaluate/mcnemar/
- [31] D. Silva-Palacios, C. Ferri, M.J. Ramírez-Quintana, Improving performance of multiclass classification by inducing class hierarchies, *Procedia Comput. Sci.* 108 (2017), 1692–1701.