

1-1-2021

## Enhanced concept-level sentiment analysis system with expanded ontological relations for efficient classification of user reviews

Asad Khattak  
*Zayed University, asad.khattak@zu.ac.ae*

Muhammad Zubair Asghar  
*Gomal University*

Zain Ishaq  
*Gomal University*

Waqas Haider Bangyal  
*University of Gujrat*

Ibrahim A. Hameed  
*Faculty of Information Technology and Electrical Engineering*

Follow this and additional works at: <https://zuscholars.zu.ac.ae/works>



Part of the [Computer Sciences Commons](#)

---

### Recommended Citation

Khattak, Asad; Asghar, Muhammad Zubair; Ishaq, Zain; Bangyal, Waqas Haider; and Hameed, Ibrahim A., "Enhanced concept-level sentiment analysis system with expanded ontological relations for efficient classification of user reviews" (2021). *All Works*. 4153.  
<https://zuscholars.zu.ac.ae/works/4153>

This Article is brought to you for free and open access by ZU Scholars. It has been accepted for inclusion in All Works by an authorized administrator of ZU Scholars. For more information, please contact [scholars@zu.ac.ae](mailto:scholars@zu.ac.ae).



Contents lists available at ScienceDirect

Egyptian Informatics Journal

journal homepage: [www.sciencedirect.com](http://www.sciencedirect.com)

## Enhanced concept-level sentiment analysis system with expanded ontological relations for efficient classification of user reviews

Asad Khattak<sup>a</sup>, Muhammad Zubair Asghar<sup>b</sup>, Zain Ishaq<sup>b</sup>, Waqas Haider Bangyal<sup>c</sup>, Ibrahim A Hameed<sup>d,\*</sup>

<sup>a</sup> College of Technological Innovation, Zayed University, Abu Dhabi Campus, United Arab Emirates

<sup>b</sup> Institute of Computing and Information Technology, Gomal University, DIKhan, KP, Pakistan

<sup>c</sup> Department of Computer Science, University of Gujrat, Pakistan

<sup>d</sup> Department of ICT and Natural Sciences, Faculty of Information Technology and Electrical Engineering, Hovedbygget B316, Ålesund, Norway

### ARTICLE INFO

#### Article history:

Received 21 August 2020

Revised 2 February 2021

Accepted 13 March 2021

Available online xxxx

#### Keywords:

Machine learning techniques

Support vector machine

Formal concept analysis (FCA)

Concept lattice

Ontological relations

### ABSTRACT

**Background/introduction:** Concept-level sentiment analysis deals with the extraction and classification of concepts and features from user reviews expressed online about products and other entities like political leaders, government policies, and others. The prior studies on concept-level sentiment analysis have used a limited set of linguistic rules for extracting concepts and their associated features. Furthermore, the ontological relations used in the early works for performing concept-level sentiment analysis need enhancement in terms of the extended set of features concepts and ontological relations.

**Methods:** This work aims at addressing the aforementioned issues and tries to bridge the literature gap by proposing an extended set of linguistic rules for concept-feature pair extraction along with enhanced set ontological relations. Additionally, a supervised machine learning technique is implemented for performing concept-level sentiment analysis.

**Results and conclusions:** Experimental results depict the effectiveness of the proposed system in terms of improved efficiency (P: 88%, R: 88%, F-score: 88%, and A: 87.5%).

© 2021 THE AUTHORS. Published by Elsevier BV on behalf of Faculty of Computers and Artificial Intelligence, Cairo University. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

## 1. Introduction

Sentiment analysis (SA) is used to perceive subjective information from online reviews. This analysis gives people a swift overview of the public opinions for a certain entity, such as a hotel, and a product [18].

SA aims to provide quick information by processing the posted reviews by using machine learning (ML) methodologies instead of manually reading, that is a hard practice to decide from past experience posted online on web platforms [17,13].

### 1.1. Research study motivation

Concept-level sentiment analysis is relatively a new and challenging area in text analytics. The existing studies [5,39,43,36] on concept-level SA have used a limited set of linguistic rules for extracting feature and their associated concepts. Furthermore, the aforementioned studies have used a poor selection of concept-feature pair in the form of ontological relations, which results in the less efficient classification of sentiments expressed in user reviews. To extract and classify the sentiments from a review at the concept-level, information is required to be obtained using extended ontological relationship from final reviews [43]. To acquire more efficient results, it is required to perform SA task at concept-level with extended linguistic rules and ontological relations.

Therefore, more work is required to address the aforementioned issues for efficient detection and classification of user reviews at concept-level with extended ontological relationships. The proposed work is significant in terms of an extended set of linguistic rules for concept-feature extraction and providing an expanded ontological relationship using Formal Concept Analysis (FCA) [39] for efficient sentiment classification of user reviews at concept-level.

\* Corresponding author.

E-mail addresses: [asad.khattak@zu.ac.ae](mailto:asad.khattak@zu.ac.ae) (A. Khattak), [zubair@gu.edu.pk](mailto:zubair@gu.edu.pk) (M.Z. Asghar), [waqas.haider@uog.edu.pk](mailto:waqas.haider@uog.edu.pk) (W.H. Bangyal), [ibib@ntnu.no](mailto:ibib@ntnu.no) (I.A Hameed).

Peer review under responsibility of Faculty of Computers and Information, Cairo University.



Production and hosting by Elsevier

<https://doi.org/10.1016/j.eij.2021.03.001>

1110-8665/© 2021 THE AUTHORS. Published by Elsevier BV on behalf of Faculty of Computers and Artificial Intelligence, Cairo University.

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Please cite this article as: A. Khattak, Muhammad Zubair Asghar, Z. Ishaq et al., Enhanced concept-level sentiment analysis system with expanded ontological relations for efficient classification of user reviews, Egyptian Informatics Journal, <https://doi.org/10.1016/j.eij.2021.03.001>

In the proposed framework, we aim to design an enhanced concept-level SA system with expanded ontological relations to provide an efficient classification of user reviews at concept-level.

### 1.2. Problem statement

The SA using ontological relationships in online reviews is a challenging task due to the varying nature of ontological concepts and relations. The existing studies on concept-level SA using ontology relations [5,39,43,36] have used a limited set of concepts and features, and their ontological relations for the efficient classification sentiments in user reviews. Therefore, it is an important task to develop a concept-level SA system that overcomes the limitations of the aforementioned studies for efficient classification of user reviews. In this work, a concept-level SA system is proposed with an extended set of concepts and features with an enhanced set of ontology relations for efficient classification of user reviews with respect to product aspects.

This work investigated the problem of concept-level SA from online texts using ontological relationships.

An extended set of linguistic rules are proposed for concept-feature pair extraction. FCA was applied to construct the extended set of linguistic rules and finally Support Vector Machine (SVM) classifier was used to classify review text into binary sentiment classes (+ive and -ive classes) at the concept level. The goal was to develop an efficient model that could be trained on the dataset to classify the review as being that of a +ive or -ive at concept-level by extracting concept-feature pairs and constructing ontological relations using FCA.

The study aimed at proposing a concept-level SA using ontological relationship by enhancing the work proposed by [5,36,43], for efficient classification of user sentiments.

### 1.3. Research questions

Following are the research questions posed by this work.

RQ1: How can we extract the extended set of concepts and features to be used in classifying the user reviews?

RQ2: How can we identify extended ontological relations for efficient classification of user reviews?

RQ3: How can we efficiently classify the user reviews based on an extended set of concepts and ontological relations?

### 1.4. Our contributions

Following contributions are made in this study.

- Proposing an extended set of linguistic rules for concept-feature extraction in user-generated product reviews.
- Applying FCA for identifying an extended set of ontological relations to depict features associated with the concepts
- Classifying features associated with the concepts into positive and negative classes using supervised learning-based techniques.
- To estimate the efficiency of various ML methods using different features associated with the concepts.
- Comparing the efficiency of the proposed model with respect to other ML and state-of-the-art methods.
- The proposed model performs better than the state-of-the-art methods with a significant margin.

The rest of the article is organized as follows: (i) Section 2 deals with literature review, (ii) proposed methodology is presented in section 3, (iii) section 4 is about obtained results and their analysis, and (iv) finally conclusion and future work is presented in section 5.

## 2. Related work

A review of some selected literature related to concept-level SA using ontological relationship is presented as follows:

The supervised learning approaches [32] for concept-level SA have been applied in different studies. For instance, in their work on feature level sentiment classification, Shein [39] performed the Part-of-Speech (POS) tagging of words using POS tagger, then the extraction of related concepts and feature is conducted using domain ontology. Furthermore, the classification of sentiments expressed in the user reviews is performed using an SVM classifier. The results reveal that the achieved accuracy of the proposed approach is 78%. Another related study to aspect-based SA conducted by Varghese and Jayasree [43], used the SVM. The proposed method performs different tasks, such as (i) dependency parser, (ii) co-reference resolution, and (iii) SentiWordNet. The results depict that the accuracy achieved by the proposed approach is 78.48%. Similar to the Shein's [39] work, which faces an issue of limited dataset size, Varghese and Jayasree [43] also used a limited dataset. Both studies aimed to handle this limitation in the future by making an increment in the dataset size and also to deal with the comparative sentences problem for the improvement in their system's performance. In their work on context-aware SA, Mok et al. [23] proposed an ontology-based context-aware system by utilizing the Bayesian network to overcome the complex relation ontological expression. The proposed model could be applied to the smart campus situation scenario. The system achieved satisfactory performance (88%) with respect to comparing methods. However, the inclusion of organizational structure could assist in providing more intelligent context-aware reasoning. There are some other studies that focus on the development of context-aware systems in the health domain. For instance, Liu et al. [22] proposed the context-aware experience detection system from online health reviews. For further investigation, there are several interesting directions, such as the inclusion of linguistic features supported by context features constraints. Types of sentiment strength could be extracted from tertiary statistics. It would be possible to get labeled sentences through patient experience via online health forums. Different sets of CARE network can be proposed through different health forums. Moreover, in the area of the ontology-based context-aware system, a notable work is introduced by Ramathan et al. [35], using the contextual properties of the text at both sentence-structure and domain-level exerting different context-aware features. An accuracy of 73% is obtained via ontology-based SA. In another work, Fan et al. [15] proposed sentiment-oriented web-based contextual advertising by utilizing sentiments information of blog pages. The approach is experimentally validated using the actual blog and real ads. The sentiment detection module achieved superior performance with 74.1% precision. However, a more comprehensive analysis will improve the effectiveness of the proposed system.

Twitter enables online users to express their sentiments and opinion about anything like products, events, and organizations [36]. Some of the studies have used Twitter to investigate the task of context-aware SA. For example, in their work, Ruba and Venkateson [36] used a Twitter post to propose a custom SA tool. The method section is comprised of three steps: (i) Creation of domain ontology, (ii) Extraction of tweets related to the features and, (iii) perform the SA on the extracted tweets using Naïve Bayes (NB) classifier. The proposed method attained performance up-gradation with respect to the state of the art studies. However, creating a completely automatic ontology technique will enhance the performance of the proposed approach. Another notable work conducted by [42], investigates the issue of contextual information via Twitter SA by modeling polarity detection as a sequential task, employing the

SVM algorithm to the entire sequence. The observed relative improvement of around 20% tweets characterized by conversational context proves that data sets provide an efficient result. Ultimately, user interaction dynamics are extremely complex in social networks and they deserve better representation about reputation authority, and influence in the future. While working on the development of context-sensitive tone lexicon for representing bipolar tone words, Babour et al. [9] achieved the highest accuracy of 77.3% via 326 usable tweets via an adjective network (AN). Furthermore, to fill the deficiency of the standard ML methods Schouten et al. [38] proposed the knowledge-driven solution. For both aspect detection and aspect SA, only 20% of the training data is applied to achieve the improved results as compared to standard approaches.

Effective implementation of *unsupervised approaches* like clustering and lexicon-based method (Soni & Patel, 2014) is performed for different tasks like customer satisfaction [7], aspect-based SA [5], and context-aware sentiment lexicon [12]. In their work, Bross and Ehrig [12], proposed a novel unsupervised approach for creating context-aware sentiment lexicon via semi-structured product reviews. The high accuracy is reported during experiments. Similarly, following the line of unsupervised approaches, the authors Agarwal et al. [1] investigated and proposed a selective important features and aspects driven approach for the expressed opinion through the domain-specific ontology of common-sense knowledge to determine the overall sentiment of the text. The contextual sentiment lexicon determines the further polarity of an opinion word. The accuracy of the applied method is 80.1% as compared to other methods. The problem of enriching the knowledge base can be solved using a ConceptNet. Furthermore, in the context of common sense information extraction, a novel opinion mining approach is proposed by Jain and Jain [18], to investigate public and opinion of sentiments from Twitter. Both male and female users are included at different locations of the world via concept net ontologies to measure Gender concept average per city. Similar to the prior work [1], Jain and Jain explored the ConceptNet to investigate more advanced features. However, the work performed by Mukherjee et al. [26] explored the ConceptNet ontology tree to review overall polarities and accuracy. The model used in this paper achieved an accuracy of 76.06%, which is higher than the other models. Using ontology information, which captures the intrinsic specificities of product-feature relations in a given product domain.

To develop sentiment-based applications, hybrid techniques have shown promising results in different domains like politics, business, and healthcare [8]. Such techniques exploit various aspects of unsupervised, semi-supervised, and supervised methods [5]. Following the theme of a hybrid approach [5], focuses on aspect-based opinion mining. The proposed approach applies a combined framework, containing extended heuristic patterns set, a hybrid sentiment classification unit with intensifiers support, summary generation and negations. The results speak that the proposed approach outperformed the comparing methods in terms of improved Accuracy (85%), Precision (73%) and F-measure (0.78). In the context of hybrid approaches, another notable work performed by Muhammad et al. [25], uses a combination of the supervised and lexicon-based method to address the semantic gap between prior and contextual polarity using generic lexicon to capture global context. The accuracy of 70.6% is achieved across different social media platforms. Weichselbraun et al. [44], in their work, investigates that an automated SA identifies the polarity of opinions based on ML or lexical methods. A hybrid approach is introduced with a combination of sentiment terms, context, and lexical analysis throughput, to resolve queries and improve SA. Furthermore, [50,32] inspected semi-supervised based context-aware learning approach for sentence-level sentiment using structured sentiments modeling, and global as well as local contextual information at both, intra and inter-sentential levels via posterior regularization.

A *rule-based approach* for SA aims to exploit an effective set of patterns or rules with an ability to extract specific features from the user-generated content. In this connection, Yergesh et al. [45] proposed an ontological model and morphological rules via SPARQL language for semantic queries using SA of Kazakh language text. The rule-based method achieves 83% accuracy with respect to comparing methods. However, scheduling the text is to be categorized not only into positive, negative, neutral but also to detect emotions expressed by the author via psychological models. In a similar work to opinion/sentiment extraction, Ruiz-Martinez et al. [37], identified the sentiment polarities for the financial domain using the opinion extraction approach. They obtained financial news from RSS feeds. The proposed methodology contributed towards decision support system development and functional sentiment annotation for natural language resources as well as ontological resources. The accuracy outcome for this financial domain is 87.32%. Thaduri et al. [41] also follow the line of work related to the rule-based approach by demonstrating an intelligent framework for context-aware *meta*-database utilizing soft computing techniques. However, the designed framework needs to be considering interacting elements and each layer via a local and global variable. The different algorithms are to be transformed into the program for using Matlab and other interactive capabilities for checking the test data.

The aforementioned works have applied different techniques like supervised learning (SVM, and NB, etc.), unsupervised learning (lexicon-based SentiWordNet, etc.), hybrid approaches, and rule-based approaches to perform concept-level SA on the user-generated content. However, it is required to investigate more robust techniques for performing concept-level sentiment classification of user reviews.

### 3. Proposed methodology

The proposed architecture is comprised of six modules, namely: (i) Data collection (ii) Preprocessing, (iii) Extended set of concept feature extraction, (iv) Generating Ontology Representation, (v) Applying SVM classifier for sentiment classification of concept-based feature and (vi) Evaluating performance of the System, as shown in Fig. 1.

#### 3.1. Data acquisition

This module extracts and compiles data from user-generated reviews on social media platforms (Amazon) and different publicly



Fig. 1. Proposed architecture.



available datasets. The reviews are about different smartphone products, such as: “Huawei”, “LG Nexus”, and “Sony”. The collected dataset is stored in the Excel worksheet in a “.csv” format and used as an input in the processing module to perform further processing. The user reviews in the obtained dataset are categorized into two classes that are: positive and negative sentiments. The statistics of the acquired dataset are presented in Table 1.

### 3.2. Preprocessing

In this step, we pass the user reviews through preprocessing module. The preprocessing of user reviews is performed in four different steps. (i) *Tokenization*: We performed the tokenization using countvectorizer provided by sklearn, where in the process of tokenization, each input text is converted into chunks/tokens, ([https://scikit-learn.org/stable/modules/generated/sklearn.feature\\_extraction.text.CountVectorizer.html#sklearn.feature\\_extraction.text.CountVectorizer.build\\_analyzer](https://scikit-learn.org/stable/modules/generated/sklearn.feature_extraction.text.CountVectorizer.html#sklearn.feature_extraction.text.CountVectorizer.build_analyzer)) ii) *Stop-word removal*: During this step, all the stop words, such as “and”, “the”, “a”, and “is”, present in the user reviews are removed using sklearn countvectorizer ([https://scikit-learn.org/stable/modules/generated/sklearn.feature\\_extraction.text.CountVectorizer.html#sklearn.feature\\_extraction.text.CountVectorizer.build\\_analyzer](https://scikit-learn.org/stable/modules/generated/sklearn.feature_extraction.text.CountVectorizer.html#sklearn.feature_extraction.text.CountVectorizer.build_analyzer)), (iii) *Case Conversion*: The case of all the user reviews is converted into lowercase ([https://scikit-learn.org/stable/modules/generated/sklearn.feature\\_extraction.text.CountVectorizer.html#sklearn.feature\\_extraction.text.CountVectorizer.build\\_analyzer](https://scikit-learn.org/stable/modules/generated/sklearn.feature_extraction.text.CountVectorizer.html#sklearn.feature_extraction.text.CountVectorizer.build_analyzer)), and (iv) *POS Tagging*: To assign POS tags such as: “noun”, “verb”, and “adjective” to individual term, we used online POS tagger (<https://parts-of-speech.info/>).

### 3.3. Extended set of concept-feature extraction

The identification and extraction of product concepts and features underlying a given review text are performed, using the set of linguistic rules proposed by [5]. We also proposed a new set of linguistic rules. The first six linguistic rules, namely LR1, LR2, LR3, LR4, LR5, and LR6, are adapted from the existing study, and the remaining six linguistic rules: LR7, LR8, LR9, LR10, LR11, and LR12, are the newly proposed linguistic rules to extract concept-feature pair as given in Table 2. The LR7 depicts that if the first word is adjective (JJ), the second word is adjective (JJ), and the third word is a noun (NN), then the second word (JJ) and third word (NN) will be a bigram concept and the first word (JJ) will be a feature regarding a concept. For instance, in the given text “The Sony phone has a superb call quality”, the word “superb” is adjective (feature word), and “call quality” is the adjective-noun (bigram concept). The LR8 speaks that if the first word is an adverb (RB), the second word is an adverb (RB), and the third word is a noun (NN), then the third word (NN) will be a concept and first word (RB), and the second word (RB) will be a bigram feature regarding a concept. For instance, in the given text “The LG phone comes with a very well camera”, the term “very well” is adverb-adverb (bigram feature word) and “camera” is the noun (concept). The LR9 shows that if the first word is an adjective (JJ), the second word is a noun (NN), and the third word is an adjective (JJ), then the first word (JJ) and second word (NN) will be a bigram concept and third word (JJ) will be a feature regarding a concept. For example, in the given text “The call quality of Sony phone is bad”, the word “bad” is an adjective (feature word) and “call quality” is the adjective-noun (bigram concept). The LR10 depicts that if the first

word is a verb (VBP), the second word is an adjective (JJ), and the third word is a noun (NN), then the second word (JJ) and third word (NN) will be a bigram concept and first word (VBP) will be a feature regarding a concept. For example, in the given text: “I dislike the video quality of LG”, the word “dislike” is a verb (feature word) and “video quality” is the adjective, noun (bigram concept). The LR11 depicts that if the first word is a noun (NN), the second word is an adverb (RB), and the third word is an adjective (JJ), then the first word (NN) is a concept and the second word (RB) and the third word (JJ) will be a bigram feature regarding a concept. For example, in the given text “I just received the Google phone and the screen is quite incredible”, the word “quite incredible” is an adverb, adjective (bigram feature word) and “screen” is the noun (concept). The LR12 shows that if the first word is noun (NN), the second word is adjective (JJ), and the third word is noun (NN), then the first word (NN) is a concept and the second word (JJ) and third word (NN) will be a bigram feature regarding a concept. For example, in the given text “The Sony phone supports screen with high quality”, the word “high quality” is adjective-noun (bigram feature word), and “screen” is the noun (concept).

Table 2 shows the aforementioned rules to extract concepts and features.

Table 2 is used to detect the corresponding concept-feature linguistic for an individual POS-tagged sentence in a given review. For example, after passing the given text: “The Sony phone has a superb call quality” through the POS tagger (see Fig. 2), the word “superb” is tagged as an adjective, “call” is tagged as an adjective and “quality” is tagged as a noun.

In the above-mentioned example, the POS tags of “superb/JJ”, “call/JJ”, and “quality/NN” matches with LR7 (Table 3), while the term “superb” shows the feature regarding the bigram concept “call quality”. The extracted concepts and their features in a given POS tagged sentence is shown in Table 3.

Table 4 shows the sample examples related to extracted concept-feature pair.

In Algorithm 1 shows pseudocode steps of concept-feature extraction regarding concepts with their related features extraction.

Table 5 presents a list of concept-feature Lexicon (E1) (see Appendix C) that is generated as shown in Algorithm 1.

#### Algorithm 1. Pseudo Code Steps about Concept-Feature Extraction

---

Require: POS-Tagged Pre-Processed Sentence  
Output: Concept-Feature Lexicon (E1)  
Start  
1. for each POS-tagged sentence “tj” in POS-tagged sentence lexicon do  
  Begin  
  2. while not (concept-feature-lgrule eof)  
  Begin  
  3. if (POS-tagged sentence “tj” matches lgrule in concept-feature lexicon) then  
    Begin  
    4. Extract concept-feature n-gram along with lgrule # from Table 3  
    5. Collect it in concept-feature Lexicon (E1)  
  End if  
  End while  
End for  
End function


---

**Table 1**  
Statistics about the acquired dataset.

Dataset#	Description	Total No. of Reviews	No. of Positive Reviews	No. of Negative Reviews
D1	Phone Reviews	10,160	5080	5080

**Table 2**  
Linguistic Rules with Examples of Concept-Feature Pair.

Linguistic Rule #	Linguistic rules for feature and concepts		Example(s)	Adaptation/proposal
	1st term	2nd term		
LR1	{ <i>fea</i> JJ (Adjective	{ <i>Con</i> NN (Noun)	Bad screen	Adopted from Asghar et al. [5]
LR2	{ <i>Con</i> NN (Noun ,	{ <i>fea</i> JJ (Adjective)	screen slow	Adopted from Asghar et al. [5]
LR3	{ <i>fea</i> VBP (Verb ,	{ <i>Con</i> NN (Noun)	dislike camera	Adopted from Asghar et al. [5]
LR4	{ <i>bi-gram fea</i> JJ NN (Adjective , Noun	{ <i>Con</i> NN (Noun)	high quality camera	Adopted from Asghar et al. [5]
LR5	{ <i>bi-gram fea</i> RB JJ (Adverb, Adjective	{ <i>Con</i> NN (Noun)	quite incredible camera.	Adopted from Asghar et al. [5]
LR6	{ <i>bi-gram Con</i> NN NN (Noun, Noun	{ <i>fea</i> JJ (Adjective)	battery life impressive	Adopted from Asghar et al. [5]
LR7	{ <i>fea</i> JJ (Adjective ,	{ <i>bi-gram Con</i> JJ NN (Adjective , Noun)	superb call quality	Our Proposal
LR8	{ <i>bi-gram fea</i> RB, RB (Adverb, Adverb	{ <i>Con</i> NN (Noun)	very well camera	Our Proposal
LR9	{ <i>bi-gram Con</i> JJ NN (Adjective , Noun	{ <i>fea</i> JJ (Adjective)	call quality bad	Our Proposal
LR10	{ <i>fea</i> VBP (Verb,	{ <i>bi-gram Con</i> JJ NN (Adjective, Noun)	dislike video quality	Our Proposal
LR11	{ <i>Con</i> NN (Noun,	{ <i>bi-gram fea</i> RB JJ (Adverb, Adjective)	screen quite incredible	Our Proposal
LR12	{ <i>Con</i> NN (Noun,	{ <i>bi-gram fea</i> JJ NN (Adjective, Noun)	screen high quality	Our Proposal



**Fig. 2.** An Example of POS-Tagged Sentence.

### 3.4. Ontology construction

Ontology construction is accomplished using two steps: (i) identifying relationships, (ii) and construction of extended ontology structure.

#### 3.4.1. Identifying relationships

In this module, we have used formal context (cross-table), and formal concept notations of formal concept analysis for identifying relationships, described as follows.

**3.4.1.1. Formal concept analysis (FCA).** Formal concept analysis is a lattice theory-based architecture and it is manipulated as a data analysis tool [4]. The FCA covers the basic notions such as formal context (cross-table), formal concept and concept lattice.

We have used Formal Concept Analysis (FCA) [39] to identify the relationship between concepts and their features. Table 6 shows, a sample set of relations and their relationship in FCA.

For example, in the input sentence: “The bad screen of Huawei phone makes reading difficult”, “screen” is a concept represented by *con*, “bad” is a feature represented by *fea*, Table 6 shows an FCA representation for the “*con-fea*” relationship. In Table 6, the element at the left side shows the concept (*screen*), and the element at the top (*bad*) shows the feature, whereas “X” represents a binary relationship between concept and feature.

**Table 3**  
Example Sentences of Reviews with Matching Linguistic Rules.

Input Sentence	POS Tagged Sentence	Linguistic rules for feature and concepts		Example(s)	Linguistic Rule #
		1st term	2nd term		
1. The bad screen of the Huawei phone makes reading difficult.	DT/JJ/NN/IN/NNP/NN/VBZ/ VBG/JJ	{ <i>fea</i> JJ (Adjective	{ <i>Con</i> NN Noun)	Bad screen	LR1
2. The working of the LG phone screen is slow.	DT/NN/IN/NNP/NN/NN/VBZ/JJ	{ <i>Con</i> NN (Noun ,	{ <i>fea</i> JJ Adjective)	Screen slow	LR2
3. They dislike the newly launched HTC phone camera.	PRP/VBP/DT/RB/VBN/NNP/ NN/NN	{ <i>fea</i> VBP (Verb ,	{ <i>Con</i> NN Noun)	Dislike camera	LR3
4. The high quality camera of HTC amazed me.	DT/JJ/NN/NN/IN/NNP/VBD/PRP	{ <i>bi-gram fea</i> JJ NN (Adjective ,	{ <i>Con</i> NN Noun)	High quality camera	LR4
5. I am satisfied with the quite incredible camera of Google phone.	PRP/VBP/VBN/IN/DT/RB/JJ /NN/IN/ NNP/NN	{ <i>bi-gram fea</i> RB JJ (Adverb,	{ <i>Con</i> NN Noun)	Quite incredible camera.	LR5
6. The battery life of Huawei phone is impressive.	DT/NN/NN/IN/DT/NNP/NN/ VBZ/JJ	{ <i>bi-gram Con</i> NN NN (Noun, Noun	{ <i>fea</i> JJ Adjective)	Battery life impressive	LR6
7. The Sony phone has a superb call quality.	DT/NNP/NN/VBZ/DT/JJ/JJ/NN	{ <i>fea</i> JJ (Adjective ,	{ <i>bi-gram Con</i> JJ NN Adjective ,	Superb call quality	LR7
8. The LG phone comes with a very well camera.	DT/NNP/NN/VBZ/IN/DT/RB/RB/NN	{ <i>bi-gram fea</i> RB RB (Adverb,	{ <i>Con</i> NN Noun)	Very well camera	LR8
9. The call quality of Sony phone is bad.	DT/JJ/NN/IN/NNP/NN/VBZ/JJ	{ <i>bi-gram Con</i> JJ NN (Adjective ,	{ <i>fea</i> JJ Adjective)	Call quality bad	LR9
10. I dislike the video quality of LG phone for games.	PRP/VBP/DT/JJ/NN/IN/NNP/NN /IN/ NNS	{ <i>fea</i> VBP (Verb,	{ <i>bi-gram Con</i> JJ NN Adjective, Noun)	Dislike video quality	LR10
11. I just received the Google phone and the screen is quite incredible.	PRP/RB/VBD/DT/NNP/NN/CC/ DT/ NN/VBZ/RB/JJ	{ <i>Con</i> NN (Noun,	{ <i>bi-gram fea</i> RB JJ Adverb, Adjective)	Screen quite incredible	LR11
12. The Sony phone supports screen with high quality.	DT/NNP/NN/VBZ/NN/IN/JJ/NN	{ <i>Con</i> NN Noun,	{ <i>bi-gram fea</i> JJ NN Adjective, Noun)	Screen high quality	LR12

Ruba and Venkateson [36] proposed an algorithm containing object-attribute relation in which P represents objects and Q represents attributes. After the tweet is input to the algorithm, the retrieval of the object is performed at step 3, whereas retrieval of attributes is performed at step 5. The required output of the algorithm is a table covering object-attribute relations. For example, in the input sentence: “The LG with display”, “LG” is an object represented by *obj*, “display” is an attribute denoted by *att*, Table 7 shows an FCA representation for the “*obj-att*” relationship.

As an enhancement of the work proposed by Ruba and Venkateson [36], we propose to introduce a concept-feature relationship depicting features associated with the concepts (Algorithm 2). In the revised algorithm, “f” denotes features and “c” shows concepts. Step# 2 and 3 are used to retrieve concepts and features from the input user review. A sample output of the proposed algorithm is the concept-feature relation, as shown in Table 6.

#### Algorithm 2. Creation of Ontology for Individual Review

---

Input: domain(d)  
 Variables: e = individual tweet  
           c = individual concept  
           f = individual feature  
 Output: con\_fea\_table  
 1. e = retri\_tweet;  
 2. c = retri\_con(e);  
 3. f = retri\_fea(e);  
 4. con\_fea\_table = (c,f)  
 5. return con\_fea\_table

---

Example: cases of Individual Sentence(Review) for Ontology Construction (Identifying relationship): We used conexp-1.3 software [2] to create a Cross Table, showing the relationship and used during ontology generation. In this section, we take different sen-

**Table 4**  
Example(s) regarding Extracted Concept-Feature Pair.

Linguistic Rule #	Linguistic rules for feature and concepts		Example(s) of concept feature pair
	1st term	2nd term	
LR1	{ <i>fea</i> JJ (Adjective	{ <i>Con</i> NN Noun)	Bad screen
LR2	{ <i>Con</i> NN (Noun ,	{ <i>fea</i> JJ Adjective)	Screen slow
LR3	{ <i>fea</i> VBP (Verb ,	{ <i>Con</i> NN Noun)	Dislike camera
LR4	{ <i>bi-gram fea</i> JJ NN (Adjective , Noun	{ <i>Con</i> NN Noun)	High quality camera
LR5	{ <i>bi-gram fea</i> RB JJ (Adverb, Adjective	{ <i>Con</i> NN Noun)	Quite incredible camera.
LR6	{ <i>bi-gram Con</i> NN NN (Noun, Noun	{ <i>fea</i> JJ Adjective)	Battery life impressive
LR7	{ <i>fea</i> JJ (Adjective ,	{ <i>bi-gram Con</i> JJ NN Adjective , Noun)	Superb call quality
LR8	{ <i>bi-gram fea</i> RB RB (Adverb, Adverb	{ <i>Con</i> NN Noun)	Very well camera
LR9	{ <i>bi-gram Con</i> JJ NN (Adjective , Noun)	{ <i>fea</i> JJ Adjective)	call quality bad
LR10	{ <i>fea</i> VBP (Verb,	{ <i>bi-gram Con</i> JJ NN Adjective, Noun)	Dislike video quality
LR11	{ <i>Con</i> NN (Noun,	{ <i>bi-gram fea</i> RB JJ Adverb, Adjective)	screen quite incredible
LR12	{ <i>Con</i> NN Noun,	{ <i>bi-gram fea</i> JJ NN Adjective, Noun)	Screen high quality

**Table 5**  
Concept-feature lexicon (E1).

User review	Concept	Feature
1. The Sony phone has a superb call quality.	call quality	Superb
2. The high-quality camera of HTC amazed me.	camera	High quality
3. The LG phone comes with a very well camera.	camera	Very well
4. The bad screen of Huawei phone makes reading difficult.	screen	Bad
5. I am satisfied with the quite incredible camera of Google phone.	camera	Quite incredible
6. The battery life of Huawei phone is impressive.	battery life	Impressive
7. The working of LG phone screen is slow.	screen	Slow
8. The call quality of Sony phone is bad.	call quality	Bad
9. I dislike the video quality of LG phone for games.	video quality	Dislike
10. I just received the Google phone and the screen is quite incredible.	screen	Quite incredible
11. The Sony phone supports screen with high quality.	screen	High quality
12. They dislike the newly launched HTC phone camera.	camera	Dislike

**Table 6**  
FCA representation for concept-feature (*con-fea*) relationship.

	Bad
Screen	X

**Table 7**  
FCA representation for concept-feature (*obj-att*) relationship.

	Display
LG	X

tences and present their relationship using relationship (cross) tables.

Review #1: “The touchpad of nokia phone is slow.”

In the above input sentence, “slow” is a feature (*fea*) and “touchpad” is a concept (*con*) and their relationship is identified by using linguistic rule (LR2) of Table 2 and we put an “X” symbol in the cell of Fig. 3.

An example case of all Sentences(Review) for Ontology Construction (Identifying relationship): In Table 8, all example cases used for relationship identification, are presented.

Algorithm 3 describes the creation of ontology for collection of reviews.

**Algorithm 3.** Creation of Ontology for Collection of Reviews

```

Input: domain(d)
Variables: E = void tweets set
           C = void concepts set
           F = void features set
Output: con_fea_table
1. E = retri_tweets(s);
2. for each e∈E do
3.   c = retri_con(e);
4.   If c ≠ Null then
5.     C = C U {c};
6.     F' = retri_fea(e);
7.     for each f ∈ F' such that (c , f) ≠ ∅ do
8.       F = F U {f};
9. con_fea_table = (C,F)
10.return con_fea_table
    
```

Formal context(cross-table): Fig. 4 presents a cross table, which describes a basic format for formal context. The left side elements of a rectangular table are called concepts and the top side represents feature, i.e. one row shows individual concept and one column shows individual feature. The cross table depicts a relationship among concepts and features, represented by an “X” symbol, which illustrates that a certain corresponding concept has the corresponding feature. For example, if the concept is

User Review	Concept	Feature	
		touchpad	slow
The touchpad of nokia phone is slow.			X

**Fig. 3.** Relationship (Cross) table for LR2.



**Table 8**  
All Example Cases used for Relationship Identification.

Input sentence	Pair/Triplet	Linguistic rule
1. The touchpad of nokia phone is slow.	{touchpad, slow}	LR2
2. After few months usage, I hate the processor of Huawei Mate 10 Pro so much.	{hate, processor}	LR3
3. Due to poor audio quality I regret buying this phone. I would NOT recommend it AT ALL!	{poor, audio quality,}	LR7
4. This Huawei smart phone has a very well display.	{very well, display}	LR8
5. The frustrating issue of Nokia Lumia is that the call quality is poor.	{call quality, poor}	LR9
6. I hate the sound quality of sony phone.	{hate, sound quality}	LR10

**Table 9**  
The *t*-test on the accuracy of the given dataset (FCA VS SenticNet).

Method	Mean	Standard deviation (%)	T -value	P-value
SenticNet.	0.861	0.52	-4.1672	1.50238E-0.5
Proposed (FCA with SVM)	0.915	0.41	-5.8286	1.60379E-0.5

“touchpad” and the feature is “slow”, then “X” shows that “touchpad is slow”. An empty cell in a table carrying a blank symbol shows that the concept does not have a feature. For example, “touchpad is not poor”. Moreover, the cross table is used as input data for the formal concept analysis. The cross-table is known as a formal context [10].

**Definition.** of formal context: A formal context in FCA is a triplet:  $(C, F, E)$ , where  $C = \{\text{Touchpad, Processor, Sound Quality, Audio Quality, Call Quality, Display}\}$  is a set of concepts, and  $F = \{\text{Slow, Hate, Very Well, Poor}\}$  is a set of features, whereas  $E$  is a binary relationship between concepts and features represented as  $E \subseteq C \times F$  [4].

**Definition.** of formal concept: A pair  $(P, Q)$  is a formal concept in a formal context  $(C, F, E)$ , where  $P$  holds exactly those concepts, which share entire features from  $Q$  and  $Q$  holds exactly those features, which are shared over entire concepts from  $P$  [4]. For example,  $(\{\text{Processor, Sound$

Quality,  $\{\text{Hate}\}$ ) is a formal concept. Similarly, another formal concept form the crossstable can be derived. Fig. 5 illustrates a formal concept.

### 3.4.2. Construction of extended ontology structure

In this module, we have used concept lattice notation of formal concept analysis for the construction of extended ontology structure, which is described as follows.

*Motivation:* Anoop and Asharaf [4] proposed a concept lattice for the “cardiology” and “neurology” domain. The bottom semicircle of the concept lattice represents the disease name and the top semicircle of the concept lattice represents the symptoms. For instance, the bottom semicircle contains “brown syndrome” as the disease name and “genetic trait” as the symptoms on the top semicircle of the lattice.

As a motivation of the work proposed by Anoop and Asharaf [4], we present the concept lattice for the “phone” domain. The bottom semicircle of the concept lattice represents the “concept” and the top semicircle of the concept lattice represents the “feature”. For instance, the bottom semicircle contains “touchpad” as the concept and “slow” as the feature on the top semicircle of the lattice.

Kontopoulos et al. [20] proposed a concept lattice for the “smartphone” domain in which the bottom semicircle depicts the “object” and top semicircle shows the “attributes” regarding the objects of the smart phone. For example, “Apple iphone” shows the object and the “camera” shows the attribute in the concept lattice. However, in our proposed approach a concept lattice is introduced for the “phone” domain, where the bottom semicircle of the concept lattice represents the “concept” and top semicircle represents the “feature”. For example, the bottom semicircle contains “touchpad” as the concept and “slow” as the feature on the top semicircle of the lattice.

**3.4.2.1. Concept lattice.** The inspiration behind generating a concept lattice (see Fig. 6) is to visualize a cross table (formal context), and also to illustrate the natural concept hierarchy, occurred within a formal context [31]. The ontology lattice is a conceptual hierarchy in which the top semi-circle of a node filled with blue represents the features and a bottom semi-circle of the node represents the concepts [30]. Moreover, the concept-lattice consists of a root node, which is composed of a set of all concepts and an empty set of features such as:  $(\{\text{Touchpad, Processor, Sound Quality, Audio Quality, Call Quality, Display}\}, \{\})$  and a bottom node, which is composed of a set of all features and an empty set of concepts such as:  $(\{\}, \{\text{Slow, Hate,$

User Reviews		Features				
		slow	hate	very well	poor	
The touchpad of nokia phone is slow.	Concepts	touchpad	X			
After few months usage I hate the processor of Huawei Mate 10 Pro so much.		processor		X		
I hate the sound quality of sony phone.		sound quality		X		
Due to poor audio quality I regret buying this phone. I would NOT recommend it AT ALL!		audio quality				X
The frustrating issue of Nokia Lumia is that the call quality is poor.		call quality				X
This Huawei smart phone has a very well display.		display			X	

**Fig. 4.** Formal Context (Cross Table).

User Reviews	Concepts	Features				
		slow	hate	very well	poor	
The touchpad of nokia phone is slow.	touchpad	×				
After few months usage I hate the processor of Huawei Mate 10 Pro so much.	processor		×			
I hate the sound quality of sony phone.	sound quality		×			
Due to poor audio quality I regret buying this phone. I would NOT recommend it AT ALL!	audio quality				×	
The frustrating issue of Nokia Lumia is that the call quality is poor.	call quality				×	
This Huawei smart phone has a very well display.	display			×		

Fig. 5. Formal Concept.




Fig. 6. Concept Lattice Created from Formal Context for Phone Domain.

Very Well, Poor)) [40]. The concept-lattice is built from a cross-table (formal context) using ConExp software tool [27].

Kontopoulos et al. [20] explored ConExp software tool for creation of concept lattice and we used the same analogy for generating concept lattice diagram related to phone domain. Different number of software tools can be used for the FCA namely: Lattice Miner, FCART, Concept Explorer, Galicia, ToscanaJ, etc. [17].

### 3.4.3. Tagging the (con, fea) and (fea, con) pair

In the previous step, we received two pairs, namely (con, fea) and (fea, con) pair [43]. Now it is required to tag the features of the aforementioned both pairs. The tagging of the feature is performed based on the positive or negative indicative words used in the two pairs of the user review. For example, the pair (touchpad, slow) is tagged as negative, and the pair (very well, display) is tagged as positive. Now, the pairs are made input into the next module, which performs a sentiment classification of the two pairs, namely (con, fea) and (fea, con), using the supervised ML technique.

### 3.5. Applying SVM classifier for sentiment classification of Concept-based feature

In this module, the classification of the features related to the concept is performed using SVM Classifier.

Varghese and Jayasree [43], proposed an aspect-based SA using SVM, in which, they firstly performed a sentence level subjectivity/objectivity classification using SentiWordNet (Esuli & Sebastiani, 2006). After the classification, the aspect expression identification is performed by applying the POS tagging (<https://www.nltk.org/api/nltk.tag.html>). The Stanford Deterministic Coreference Resolution System [24,34] is used to perform co-reference resolution and the scoring of opinion words related to aspects is performed using SentiWordNet. Finally, the SVM classifier is applied for the classification of the opinion words related to aspects of the product. However, in the proposed approach, we have created a set of linguistic rules for the extraction of concepts and features. After the creation of linguistic rules, the concept feature relationship is identified using FCA, while the ontology is constructed using the concept lattice. Finally,

**Table 10**  
A subset of train data.

Tweet No.	Tweets	Label of Tweets
1.	Superb call quality	Positive
2.	Very well camera	Positive
3.	Screen slow	Negative
4.	Screen is quite incredible	Positive
5.	Dislike video quality	Negative
6.	Bad screen	Negative
7.	Battery life impressive	Positive
8.	Screen high quality	Positive

the SVM classifier is implemented on the concept feature set to classify the features related to the concepts. The training and testing phase used during the classification task is described as follows:

### 3.5.1. Training phase

In this phase, the training of the ML model is performed by applying the dataset [24]. The sample train set used for training the model is given in section 4 (Table 10).

### 3.5.2. Testing phase

In this phase, the trained model is used for predicting the unseen dataset labels [24]. The sample test set used for testing the model is given in section 4 (Table 11).

The workflow of the supervised learning-based sentiment classification system (see Fig. 7) starts by accepting an input of pairs: (*con*, *fea*) and (*fea*, *con*) and performs classification on it using two classes, namely: positive and negative. The ML model contains both the predictor and the label at the training phase. In the next phase, the model performance is inspected on the new data for acquiring the actual predicted sentiment class.

The SVM belongs to the family of supervised learning models, which performs binary or multiple classifications on the dataset. The SVM creates a model, to map a decision line related to individual class, and to separate various classes, a hyperplane is placed during the training phase. The selection of SVM is performed on the following basis: (i) its ability to exploit a huge feature set to perform effective text classification, (ii) linear separability of the sentiment classification task, and (iii) the proficient performance of SVM for sentiment classification problem in earlier studies [29].

The Jupyter notebook [3] and Python provides Support Vector Classifier (SVC), to predict the binary sentiment classes such as: positive and negative. For example, the input pair: “touchpad slow” is labeled as a negative class. by the system.

During the training phase, the training of a classifier is performed by applying (*con*, *fea*) pairs with positive and negative labels. The probabilities  $P(\text{positive}|p_1, \dots, p_n)$ ,  $P(\text{negative}|p_1, \dots, p_n)$  are computed during the testing phase, while  $p_1, \dots, p_n$ , represents the pair feature vectors used for classification. The output of the classifier is a predicted sentiment label (positive or negative), if the estimated probability of the most probable class is higher than the pre-defined threshold.

In this work, we applied different kernel functions, namely linear, RBF, and polynomial. The linear separable dataset assists in the efficient performance of the linear function, taking less training time. Furthermore, it has a minor overfitting issue. While, in the case of the non-linear dataset, RBF is effective. The key benefit of the RBF kernel is that the training data is restrained within the pro-

**Table 11**  
A subset of test data.

Tweet No.	Tweets	Label of tweets
1.	Call quality bad	Negative
2.	High quality camera	Positive
3.	Quite incredible camera	Positive
4.	Dislike camera	Negative

vided lines. There are two hyperplane parameters, namely regularization parameter “C” and kernel parameter (scaling factor) “K”, in which, the efficiency of the SVM classifier is dependent. The parameter C receives a value of 100.

The training dataset contain points, formulated as follows (Eq. (1)):

$$T = \{(x_1, y_1), (x_2, y_2), (x_3, y_3), \dots, (x_m, y_m)\} \quad (1)$$

Also, in terms of the set theory it is defined as:

$$T = \{(x_i, y_i) | x_i \in \mathbb{R}^p, y_i \in \{-1, 1\}\}, \text{ for } i = 1..m \quad (2)$$

In Eq. (2),  $y_i$  belongs to two possible values i.e. 1 or -1, each denotes the class/label of point  $x_i$ . The individual  $x_i$  is a  $p$ -dimensional vector. It is needed to detect the ‘maximum margin hyperplane’ in order to separate the set  $x_i$ , which belongs to the  $y_i = 1$ , from set  $x_i$ , which belongs to the  $y_i = -1$ . Mathematically, a hyperplane can be represented as follows:

$$w \cdot x_i + b = 0 \quad (3)$$

wherein Eq. (3),  $w$  represents the normal vector to the hyperplane, and  $b / |w|$  shows the hyperplane offset from origin across the normal vector  $w$ .

Fig. 8 represents the SVM hyperplane visualization in linear separable data.

*Output:* The result of this module is a set of triplet which contains the concept, its associated feature and the sentiment of the feature. The output of the classifier is recorded as given in Eqs. (4) and (5).

$$\text{Senti\_val} = (c_p, f_q, \text{senti}_r) \quad (4)$$

$$\text{Senti\_val} = (f_q, c_p, \text{senti}_r) \quad (5)$$

where  $c_p$ , and  $f_q$  represents the concept, feature in a user review, and  $\text{senti}_r$  represents the sentiment. It is shown in Fig. 9.

### 3.6. Why we used SVM?

*Most text classification problems are linearly separable:* The textual information utilized in our work is ordered into binary labels, in view of the class labels utilized in the training dataset. Such information is linearly separable, which brings about the best execution of the SVM classifier [6].

*Large Feature Space:* At whatever point learning text classifiers, one should deal with a great deal of (>90000) functions. It’s redundant that it depends on the numbers of characteristics on the grounds that the SVM classifier utilized over fitting assurance and the SVM classifier can manage such enormous feature spaces [16]. Same as a case in our dataset, where the feature space is more than 9000 so that is the reason SVM gives the best performance for classification on our dataset.

Algorithm 4 presents the proposed methodology pseudo code.




Fig. 7. Supervised Learning Technique for Sentiment Classification.




Fig. 8. SVM Hyperplane in Linear Separable Data [19].




Fig. 9. Classifier Output for (con, fea) and (fea, con) pair.

**Algorithm 4.** Pseudocode for the Proposed Methodology

---

```

Require: User Reviews
Output: Concept based feature Sentiment Class (+ve, -ve)
Main ()
Start
#Scan the entire corpus
1. While (there is a user review in the corpus) Do
2. Call Preprocessing (User Review) function
3. Rules Creation/Generation (Table 2)
4. Concept Feature Extraction (Algorithm 1)
5. Identify concept feature relationship using context table
   (Algorithm 3)
6. Ontology construction using concept lattice (Section 3.3)
7. Classify concept related features using SVM classifier (Eq.
   (2))
8. Assign sentiment class (+ve, -ve) to each feature (Eqs. (4)
   and (5))
9. End while
Preprocessing(review)
10. tokens = tokenize (review)
11. for each tok in tokens
12. Remove stop words
13. Case Transformation
14. Apply POS Tagging
15. Next tok
16. End for
17. End Preprocessing (return pre-processed review)
End main()

```

---

**4. Results and discussions**

In this section, we present and evaluate experimental results by answering the posed research questions.

**4.1. Evaluation metrics**

For looking at the productivity of various classifiers on the gained dataset, we applied diverse effectiveness assessment measures: (i) Accuracy/exactness, (ii), Precision, (iii) Recall, (iv) F-Score, depicted as follows.

Accuracy: For a total number of perceptions, the rate of precisely anticipated observations is known as accuracy or exactness. Numerically, it is figured as follows:

$$Accuracy(A) = \frac{tp + tn}{tp + tn + fn + fp}$$

where, tp = true positive, tn = true negative, fp = false positive and fn = false negative

Precision: The positive prescient worth which gauges the precision of the given model is known as Precision. For a couple of false-positive particulars, precision gets high. A Mathematical definition is introduced as follows.

$$Precision(P) = \frac{tp}{tp + fp}$$

where, tp = true positive, and fp = false positive

Recall (r): It quantifies the certain cases which are accurately grouped by the model, additionally called sensitivity. High recall portrays that the quantity of + ive occurrences misclassified as - ive , is less. A numerical detailing is introduced as follows:

$$Recall(r) = \frac{tp}{tn + tp}$$

where, tp = true positive and fn = false negative

F-score: The mean estimation of Recall and Precision is an F-score. Numerically, it's depicted as follows:

$$F - Score = \frac{2pr}{p + r} = \frac{2TP}{2TP + FP + FN}$$

R = Recall, P = Precision, TP = True Positive, FP = False Positive and FN = False Negative

4.2. Answer to RQ1: "How can we extract the extended set of concepts and features to be used in classifying the user reviews?"

**4.2.1. Concept-Feature extraction**

To detect and extract the set of concepts and features underlying a given user review sentence, we proposed an extended set of linguistic rules (see section 3.3), which is an extension of the work performed by Asghar et al. [5]. Fig. 10 shows the extraction of concepts and features using the proposed linguistic rule.

4.2.1.1. *Concept-feature extraction using linguistic rule LR1.* The step by step process of concept-feature extraction using LR1 is presented in Fig. 10. It works as follows: (i) Firstly, an input sentence is introduced, (ii) The POS tagging of the input sentence is performed using an online POS tagger (iii) The concepts and features present in the input sentence are extracted using LR1, that is {fea/Adjective, Con/Noun}, which extract {bad/Adjective, screen/Noun} from the given input text.

The same process is repeated for other linguistics rules (see Appendix E for further details)

4.3. Answer to RQ2: "How can we identify the extended ontological relations for efficient classification of user reviews?"

To answer RQ2, we applied algorithm 2(see section 3.4.1.1), which generates the cross table for a sample set of tweets.

Review #1: "The bad screen of Huawei phone makes reading difficult."

In the above input sentence, "bad" is a feature (fea) and "screen" is a concept (con) and their relationship is identified by using linguistic rule (LR1) by putting an "X" symbol in the cell of Fig. 11.

The rest of the cross table for other examples are included in Appendix C.

Fig. 12 represent the combined formal context table for all of the aforementioned examples of 12 user reviews.

**4.3.1. Applying T-test**

To confirm statistically that whether the accuracy of the Proposed FCA for ontology building is the best when contrasted with different procedures like SenticNet, we utilized a *t*-test to see whether the distinction between the techniques are statistically significant. For this reason, the *t*-test is applied on the accuracy of both (best), in particular, "FCA and SenticNet".

It is seen that the distinction between the techniques is genuinely significant. The outcomes are introduced in Table 9 and exhibited by means of a graphical portrayal (Fig. 13). Python-based (sci.py) Anaconda Framework is utilized to actualize the ideal *t*-test.

4.4. Answer to RQ3 "How can we efficiently classify the user reviews based on extended set of concepts and ontological relations?"

To answer RQ3, we performed experiments using SVM classifier with different parameter settings. The experimental results are






Fig. 10. Concept and Feature Extraction using LR1.

	A	B
		Bad
Screen		X

Fig. 11. Relationship (Cross) table for LR1.

shown in Appendix D. Furthermore, a partial listing of the train and test data are listed in Tables 10 and 11.

#### 4.4.1. SVM parameter tuning

There is a number of SVM parameters that can be tuned to adjust the classifier efficiency for the given dataset. Specifically,

we take different values for the parameters 'kernel' and 'C' of the SVM classifier provided by the Scikit learn library [33], as shown in Table 12.

In Table 13, the parameter setting of all of the 12 SVM classifiers, is presented. With the kernel value linear, RBF, and poly, different values of C, are applied. The values of accuracy, precision, recall, and F1-score of all of the 12 SVM classifiers are also shown in Table 13. After performing various experiments, it is observed that the performance of the SVM classifier with 'kernel = rbf' and 'C = 100' achieved the highest accuracy with respect to the other SVM classifiers.

In Fig. 14 the process for the classification output is presented. For example, a given user review: "The screen with larger size is an

	Features								
	A	B	C	D	E	F	G	H	I
		Superb	High Quality	Very Well	Quite Incredible	Impressive	Slow	Bad	Dislike
Concepts	Call Quality	X						X	
	Camera		X	X	X				X
	Screen		X	X	X		X	X	
	Battery Life					X			
	Video Quality								X

Fig. 12. Combined Formal Context Table.

## Comparing Performance of Techniques




Fig. 13. Graph-based representation of performance comparison.

Table 12  
SVM Parameter with different variations.

Model	Parameter	Value
SVM	Kernel	linear, rbf, poly
	C	1,10,100,1000

amazing feature of Samsung Galaxy” acts as an input sentence, on which linguistic rule (LR12) is applied. After the extraction of the concept-feature pair from the given review, it is made input to the ML model, namely SVM for the sentiment classification of concept-related features.

#### 4.4.2. Performance comparison of the SVM classifier with other ML classifiers

Table 14 describes the performance comparison of the SVM classifier with respect to the other ML classifiers such as MNB, LR, RF, and KNN. It is observed that the best performance is achieved by the SVM classifier (Accuracy = 87.5, Precision = 88, Recall = 88, and F1-score = 88), whereas the classifier with the lowest performance is KNN having Accuracy = 56.25, Precision = 64, Recall = 56, and F1-score = 54. The objective of experimentation is to perform a concept-based sentiment classification of user reviews with extended ontological relations.

#### 4.4.3. Cross-validation

We applied 10-Fold Cross-Validation to conduct experiments on multiple classifiers. The result detailed in Table 15 portrayed estimations of Mean of Accuracy, Standard Validation of Accuracy, Mean Precision Marco, Standard Validation of Precision Marco, Mean Recall Marco, Standard Recall Marco, Mean F-1 Marco and Standard F-1 Marco.

Table 13  
Parameter setting for SVM along with performance metrics results.

Model Name	Kernel	C	Acc (%)	Prec (%)	Rec (%)	F1-Sc (%)
SVM1	Linear	1	81.25	82	81	81
SVM2	Linear	10	75	77	75	75
SVM3	Linear	100	68.75	70	69	69
SVM4	Linear	1000	68.75	70	69	69
SVM5	Rbf	1	43.75	19	44	27
SVM6	Rbf	10	50	77	50	39
SVM7	Rbf	100	87.50	88	88	88
SVM8	Rbf	1000	68.75	70	69	69
SVM9	Poly	1	43.75	19	44	27
SVM10	Poly	10	43.75	19	44	27
SVM11	Poly	100	43.75	19	44	27
SVM12	Poly	1000	43.75	19	44	27

To estimate the performance of the proposed SVM classifier for the concept-based feature sentiment classification, we performed a comparison with the similar studies and the results are presented in Table 16.

#### 4.4.4. Performance comparison with Similar studies

Shein [39] performed the POS tagging of sentences using POS tagger and investigated domain ontology for the extraction of domain-related concepts and attributes. Lastly, in order to perform feature-level sentiment classification, the SVM classifier is applied, which attained an accuracy of 78%. However, in the proposed approach, after tagging the input sentences (reviews), linguistic rules are applied for the extraction of concepts and features, identified in the reviews. After that, the relationship is detected between the extracted concepts and features using a context table. In the next step, the ontology for the concept and feature is constructed using concept lattice. Finally, the classification of concept-related features is performed using an SVM classifier by achieving an accuracy of 87.5%.

Varghese and Jayasree [43], proposed an aspect-based SA using SVM, in which they first performed a sentence-level subjectivity/objectivity classification using SentiWordNet. After the classification, identification of aspect expression is performed by applying the POS tagging, Stanford Deterministic Co-reference Resolution System is applied to perform co-reference resolution [11], and the scoring of opinion words related to aspects is performed using SentiWordNet. Then the SVM classifier is applied to perform the classification of the opinion words, related to the aspect of a product by achieving an accuracy of 85.94%. However, in the proposed approach, after tagging the input sentences (reviews), linguistic rules are applied for the extraction of concepts and features, identified in the reviews. After that, the relationship is identified between the extracted concepts and features using a context table. In the next step, an ontology for the concept and feature is constructed using concept lattice. Finally, the classification of concept-related features is performed using an SVM classifier by achieving an accuracy of 87.5%.

#### 4.5. Statistical analysis

We selected two Model M1 (SVM) and M2 (MNB), and their evaluation is performed on the given Dataset. Suppose N depicts a number of records. The error rate for SVM is  $e_1$  where  $e_2$  is used for MNB. Our main objective to verify that the difference between  $e_1$  and  $e_2$  is statistically significant (Tan Steinbench and Kumar, 2016). It is computed as follows:

$$\sigma^2d \simeq \sigma^2d = \frac{e_1(1 - e_1)}{n} + \frac{e_2(1 - e_2)}{n}$$




Fig. 14. Process of the Classification output.

**Table 14**  
SVM classifier VS other ML classifiers.

ML classifiers	Accuracy (%)	Precision (%)	Recall (%)	F1-score (%)
SVM	87.5	88	88	88
MNB	75	77	75	75
LR	75	83	75	72
RF	62.5	62	62	61
KNN	56.25	64	56	54

**Table 15**  
Cross validation Results of different classifiers.

Classifiers	Mean Accuracy	Standard Deviation of accuracy	Mean precision macro	Standard Deviation	Mean Recall Macro	Standard Deviation	Mean F-I Macro	Standard Deviation
SVM	86	0.06	89	0.05	85	0.05	87	0.05
NB	69	0.06	69	0.06	69	0.06	69	0.06
Random Forest	88	0.05	89	0.04	88	0.05	87	0.05
Logistic Regression	84	0.07	85	0.05	85	0.07	85	0.066
KNN DT	80	0.05	83	0.04	80	0.05	80	0.06

**Table 16**  
Comparative result of proposed method with similar study.

Method	Accuracy (%)	Precision (%)	Recall (%)	F1-score (%)
Shein [39]	78	-	87.5	-
Varghese and Jayasree [43]	85.94	87.30	78.48	-
Proposed (SVM)	87.5	88	88	88

**Table 17**  
Analysis results of Models.

Models	SVM	MNB
Accuracy	0.88	0.75
Error rate	0.12	0.25
Accuracy difference		0.13

Error ratio variances are:  $e1 (1-e1)/n$  and  $e2 (1-e2)/n$ .  $(1-\alpha)\%$  is the level of confidence, which is used for showing the confidence interval for  $dt$ , giving in the following equation.

$$dt = d \pm z_{\alpha} / 2\sigma^d$$

In the above equation. We put the performance evaluation results in terms of accuracy value, accuracy difference, and error rate of both models, namely MNB and SVM classifiers. The analysis results are recorded in Table 17.

$$d = \frac{0.12(1-0.12)}{3500} + \frac{0.25(1-0.25)}{3500}$$

$$= \frac{0.12 \times 0.88 + 0.25 \times 0.75}{3500}$$

$$= \frac{0.1056 + 0.1875}{3500}$$

$$= \frac{0.2931}{3500}$$

$$= 0.0000837429$$

$$dt = d \pm z_{\alpha} / 2\sigma^d$$

$$Z_{\alpha/2} = 1.96 \text{ where } \alpha = 0.05$$

$$= 0.1 \pm 1.96 \times 0.0091511147$$

Upper Level of Models = 0.117936 and Lower-Level models are = 0.08206

The result of the upper case is 0.117205 and the lower case is 0.082795. The inside ranges esteems are not zero or under zero that is the reason we simple say that the difference is statistically significant

In the previously mentioned calculations, we applied a two-sided test for checking  $dt = 0$  or  $dt \neq 0$ . Subsequent to embeddings the incentive in the previously mentioned condition, we get a certainty span for  $dt$  at the 95% certainty level. Since the inward Spans esteems are zero, at that point we say that the thing that matters isn't genuinely huge at a confidence level is 95%. The result of the Our aftereffect of the capitalized is 0.117205 and the lower case is 0.082795. The inside range esteems are not zero or under zero that is the reason we effectively say that the thing that matters is measurably huge.

## 5. Conclusion and future work

This work deals with the development of a concept-level SA system with expanded ontological relations. Following tasks are carried out: (i) data collection and cleaning, (ii) extraction of extended set of concept-feature pair, (iii) construction of extended ontology structure, (iv) applying SVM classifiers for sentiment classification of user reviews, and (v) evaluating the performance of the proposed system.

The proposed technique aims to classify user review text into sentiment classes (+ive and -ive classes) at the concept level. Firstly, an extended set of linguistic rules are proposed for concept-feature pair extraction. In the next phase, extended ontological relations are constructed using Formal Concept Analysis

(FCA). Finally, the SVM classifier is applied to performing SA at the concept level. The performance of the proposed system is evaluated using different metrics and also a comparison with the state-of-the-art methods is performed. Experimental results are encouraging with improved accuracy (87.5%), precision (88%), recall (88%) and f-score (88%).

### 5.1. Limitations:

1. The dataset used in this work has a limited size, which results in performance degradation.
2. Using linguistic rules for concept-feature extraction has now been considered as a classical technique for performing concept-level SA.
3. The linguistic rules used for concept-feature extraction are limited, which results in downgraded performance.
4. Use of FCA for the construction of ontology relations has remained a subject matter in computational and semantic web sciences for a quite long time, which can be enriched with more state-of-the methods.
5. The sentiment classification module of the proposed system is based on the supervised learning technique, which can be replaced with other more robust methods.
6. A single domain dataset is used in this work, i.e. "product reviews". Therefore, due to the single domain of the datasets used, the efficiency of the ML classifier needs further verification.
7. The proposed work uses a random split method for segmenting the datasets during training and testing.

### 5.2. Future directions

1. Datasets with extended size are required for conducting experiments to obtain more robust results.
2. Instead of using linguistic rules for concept-feature pair extraction, state-of-the-art built-in features of different lexicons built for performing concept-level SA can be investigated.
3. the linguistic rules used in this study need to be extended for obtaining more reliable results.
4. The existing approach for constructing ontology relations using FCA can be replaced with more advanced techniques like ConceptNet and SenticNet.
5. The sentiment classification technique used in this work uses a classical ML technique, which needs to be replaced with more robust deep learning models.
6. It is required to conduct more experimentations with datasets in multiple domains.
7. There is a need to investigate other dataset splitting methods like cross-validation and others.

## 6. Human and animal rights

This study did not involve any experimental research on humans or animals; hence an approval from an ethics committee was not applicable in this regard. The data collected from the online forums are publicly available data and no personally identifiable information of the forum users were collected or used for this study.

### Funding

This Research work was supported by Zayed University Research Incentives Fund#R19096, co-funded by Norwegian university of science and technology, Ålesund, Norway.

## Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.eij.2021.03.001>.

## References

- [1] Agarwal B, Mittal N, Bansal P, Garg S. Sentiment analysis using common-sense and context information. *Comput Intell Neurosci* 2015;2015:30.
- [2] All things Concept Explorer. (2006). Retrieved from <http://conexp.sourceforge.net/download.html>.
- [3] All things jupyter. (2019). Retrieved from <https://jupyter.org/>.
- [4] Anoop, V., & Ashraf, S. Extracting Conceptual Relationships and Inducing Concept Lattices from Unstructured Text. *Journal of Intelligent Systems*.
- [5] Asghar MZ, Khan A, Zahra SR, Ahmad S, Kundi FM. Aspect-based opinion mining framework using heuristic patterns. *Cluster Comput* 2017;1–19.
- [6] Khattak AM, Ullah H, Khalid HA, Habib A, Asghar MZ, Kundi FM. Stock Market Trend Prediction using Supervised Learning. In: *In Proceedings of the Tenth International Symposium on Information and Communication Technology*. p. 85–91.
- [7] Khattak A, Habib A, Asghar MZ, Subhan F, Razzak I, Habib A. Applying deep neural networks for user intention identification. *Soft Comput* 2020;1–30.
- [8] Khattak A, Paracha WT, Asghar MZ, Jillani N, Younis U, Saddozai FK, et al. Fine-grained sentiment analysis for measuring customer satisfaction using an extended set of fuzzy linguistic hedges. *Int J Computat Intell Syst* 2020;13 (1):744–56.
- [9] Babour A, Khan JI. In: *Tweet sentiment analytics with context sensitive tone-word lexicon*. IEEE Computer Society; 2014. p. 392–9.
- [10] Belohlavek R. Introduction to formal concept analysis. Department of Computer Science, Olomouc: Palacky University; 2008. p. 47.
- [11] Bermudez J, & Agerrri R. (2017,February). coregraph 1.2.3. Retrieved from <https://pypi.org/project/coregraph/>.
- [12] Bross J, Ehrig H. Generating a context-aware sentiment lexicon for aspect-based product review mining. *Web Intelligence and Intelligent Agent Technology (WI-IAT)*, Vol. 1. IEEE; 2010. p. 435–9.
- [13] Cardoso SD, Da Silveira M, Pruski C. Construction and exploitation of an historical knowledge graph to deal with the evolution of ontologies. *Knowl-Based Syst* 2020;194:105508.
- [14] Carvalho VA, Almeida JPA, Fonseca CM, Guizzardi G. Multi-level ontology-based conceptual modeling. *Data Knowl Eng* 2017;109:3–24.
- [15] Fan TK, Chang CH. Sentiment-oriented contextual advertising. *Knowl Inf Syst* 2010;23(3):321–44.
- [16] Habib A, Jelani N, Khattak AM, Akbar S, Asghar MZ. February). Exploiting Deep Neural Networks for Intention Mining. In: *In Proceedings of the 2020 9th International Conference on Software and Computer Applications*. p. 26–30.
- [17] Ignatov DI. Introduction to Formal Concept Analysis and Its Applications in Information Retrieval and Related Fields. In: *Braslavski P, Karpov N, Worring M, Volkovich Y, Ignatov DI, editors. Information Retrieval: 8th Russian Summer School, RuSSIR 2014, Nizhny, Novgorod, Russia, August 18–22, 2014, Revised Selected Papers*. Cham: Springer International Publishing; 2015. p. 42–141.
- [18] Jain A, Jain M. Location based twitter opinion mining using common-sense information. *Global J Enterprise Inform Syst* 2017;9(2):28–32.
- [19] Khandelwal R. (2018). Support Vector Machines. Retrieved from <https://medium.com/datadriveninvestor/support-vector-machines-ae0ff2375479>.
- [20] Kontopoulos E, Berberidis C, Dergiades T, Bassiliades N. Ontology-based sentiment analysis of twitter posts. *Expert Syst Appl* 2013;40(10):4065–74.
- [21] Lee H, Peirsman Y, Chang A, Chambers N, Surdeanu M, Jurafsky D. In: *Stanford's multi-pass sieve coreference resolution system at the CoNLL-2011 shared task*. Association for Computational Linguistics; 2011. p. 28–34.
- [22] Liu Y, Chen Y, Tang J, Liu H. In: *Context-aware experience extraction from online health forums*. IEEE; 2015. p. 42–7.
- [23] Mok and H. Min, "Ontology-based context-aware model by applying Bayesian network," 2015 12th International Conference on Fuzzy Systems and Knowledge Discovery (FSKD), Zhangjiajie, 2015, pp. 2660-2664.
- [24] Moujahid, A. (2016). A Practical Introduction to Deep Learning with Caffe and Python. Retrieved from <http://adilmoujahid.com/posts/2016/06/introduction-deep-learning-python-caffe/>.
- [25] Muhammad A, Wiratunga N, Lothian R. Context-aware sentiment analysis of social media. In: *Advances in Social Media Analysis*. Springer International Publishing; 2015. p. 87–104.
- [26] Mukherjee S, Joshi S. Sentiment aggregation using ConceptNet ontology. In: *In Proceedings of the Sixth International Joint Conference on Natural Language Processing*. p. 570–8.
- [27] Morales, M., Alatraste Trujillo, A., & Guerra-Hernández, A. (2004). Concept lattice learning in analytic induction.
- [28] Najmi E, Hashmi K, Malik Z, Rezgui A, Khanz HU. In: *ConceptOnto: An upper ontology based on Conceptnet*. IEEE; 2014. p. 366–72.
- [29] Naz, S., Sharan, A., & Malik, N. (2018, 3-6 Dec. 2018). Sentiment Classification on Twitter Data Using Support Vector Machine. Paper presented at the 2018 IEEE/WIC/ACM International Conference on Web Intelligence (WI).
- [30] Obitko, M., Snasel, V., & Smid, J. (2004). *Ontology Design with Formal Concept Analysis*.
- [31] Orphanides, C., Akhgar, B., & Bayerl, P. S. (2017). Discovering knowledge in online drug transactions using conceptual graphs and formal concept analysis. Paper presented at the Proceedings - 2016 European Intelligence and Security Informatics Conference, EISIC 2016.
- [32] Pannala NU, Nawarathna CP, Jayakody JTK, Rupasinghe L, Krishnadeva K. In: *Supervised learning based approach to aspect based sentiment analysis*. IEEE; 2016. p. 662–6.
- [33] Pedregosa et al. Scikit-learn: machine learning in python. *JMLR* 2011;12:2825–30.
- [34] Raghunathan K, Lee H, Rangarajan S, Chambers N, Surdeanu M, Jurafsky D, et al. In: *A multi-pass sieve for coreference resolution*. Association for Computational Linguistics; 2010. p. 492–501.
- [35] Ramanathan J, Ramnath R. Context-assisted sentiment analysis. In: *In The 25th Annual ACM Symposium on Applied Computing*. p. 404–13.
- [36] Ruba KV, Venkatesan D. Building a custom sentiment analysis tool based on an ontology for Twitter posts. *Ind J Sci Technol* 2015;8(13):1.
- [37] Ruiz-Martínez JM, Valencia-García R, García-Sánchez F. An ontology-based opinion mining approach for the financial domain. In: *Extended Semantic Web Conference*. p. 73–86.
- [38] Schouten K, Frasinca F, de Jong F. In: *Ontology-enhanced aspect-based sentiment analysis*. Cham: Springer; 2017. p. 302–20.
- [39] Shein KPP. Ontology based combined approach for sentiment classification. Paper presented at the Proceedings of the 3rd International Conference on Communications and information technology, 2009.
- [40] Ta, C. D. C., & Thi, T. P. (2012, 17-19 Aug. 2012). Improving the formal concept analysis algorithm to construct domain ontology. Paper presented at the 2012 Fourth International Conference on Knowledge and Systems Engineering.
- [41] Thaduri A, Kumar U, Verma AK. Computational intelligence framework for context-aware decision making. *Int J Syst Assurance Eng Manage* 2014;1–12.
- [42] Vanzo, A., Croce, D., & Basili, R. (2014). A context-based model for Sentiment Analysis in Twitter. In *COLING* (pp. 2345-2354).
- [43] Varghese R, Jayasree M. In: *Aspect Based Sentiment Analysis Using Support Vector Machine Classifier*. IEEE; 2013. p. 1581–6.
- [44] Weichselbraun A, Gindl S, Scharl A. Extracting and grounding contextualized sentiment lexicons. *IEEE Intell Syst* 2013;28(2):39–46.
- [45] Yergesh B, Bekmanova G, Sharipbay A, Yergesh M. In: *Ontology-Based Sentiment Analysis of Kazakh Sentences*. Cham: Springer; 2017. p. 669–77.