

11-1-2023

The Emirates at 2050: Balancing Development and Environmental Stewardship

John A. Burt
New York University Abu Dhabi

Noura Al-Mansoori
New York University Abu Dhabi; Environment Agency Abu Dhabi

Ivonne Bejarano
American University of Sharjah

Gary Brown
Leibniz Institute for the Analysis of Biodiversity Change

Oscar Campbell
Nautica Environmental Associates LLC, Abu Dhabi, United Arab Emirates; British School Al Khubairat, Abu Dhabi, United Arab Emirates

Follow this and additional works at: <https://zuscholars.zu.ac.ae/works>



Part of the [Environmental Sciences Commons](#)
See next page for additional authors

Recommended Citation

Burt, John A.; Al-Mansoori, Noura; Bejarano, Ivonne; Brown, Gary; Campbell, Oscar; Els, Johannes; Feulner, Gary R.; Friis-Montoya, Guillermo; Henderson, Aaron; Howarth, Brigitte (Department of Culture and Tourism, Natural History Museum Abu Dhabi; , Abu Dhabi, United Arab Emirates, , Abu Dhabi, United Arab Emirates; John, David M.; Judas, Jacky; Mateos-Molina, Daniel; Mitchell, Matthew; Natoli, Ada; Paparella, Francesco; Yaghmour, Fadi (Hefaiyah Mountain Conservation Centre; and , Environment and Protected Areas Authority, Kalba, Sharjah, United Arab Emirates, , Environment and Protected Areas Authority, Kalba, Sharjah, United Arab Emirates, "The Emirates at 2050: Balancing Development and Environmental Stewardship" (2023). *All Works*. 6175.
<https://zuscholars.zu.ac.ae/works/6175>

Author First name, Last name, Institution

John A. Burt; Noura Al-Mansoori; Ivonne Bejarano; Gary Brown; Oscar Campbell; Johannes Els; Gary R. Feulner; Guillermo Friis-Montoya; Aaron Henderson; Natural History Museum Abu Dhabi Howarth, Brigitte (Department of Culture and Tourism; , Abu Dhabi, United Arab Emirates , Abu Dhabi, United Arab Emirates; David M. John; Jacky Judas; Daniel Mateos-Molina; Matthew Mitchell; Ada Natoli; Francesco Paparella; Fadi (Hefaiyah Mountain Conservation Centre Yaghmour; and , Environment and Protected Areas Authority, Kalba, Sharjah, United Arab Emirates , Environment and Protected Areas Authority, Kalba, Sharjah, United Arab Emirates

Chapter 24

The Emirates at 2050: Balancing Development and Environmental Stewardship



John A. Burt, Noura Al-Mansoori, Ivonne Bejarano, Gary Brown, Oscar Campbell, Johannes Els, Gary R. Feulner, Guillermo Friis-Montoya, Aaron Henderson, Brigitte Howarth, David M. John, Jacky Judas, Daniel Mateos-Molina, Matthew Mitchell, Ada Natoli, Francesco Paparella, and Fadi Yaghmour

24.1 Introduction

The natural history of a region is shaped by the interplay between the forces of nature and the actions of humankind. Currently, the world finds itself in the Anthropocene, an era characterized by unprecedented human impacts on the environment (Steffen et al. 2011; Crutzen 2016). It is against this background that the United Arab

J. A. Burt (✉)

Arabian Center for Climate and Environmental Sciences (ACCESS) and Water Research Center (WRC), New York University Abu Dhabi, Abu Dhabi, United Arab Emirates
e-mail: John.Burt@nyu.edu

N. Al-Mansoori

Marine Biology Lab, New York University, Abu Dhabi, United Arab Emirates

Marine Biodiversity Division, Environment Agency Abu Dhabi, Abu Dhabi, United Arab Emirates

I. Bejarano

Department of Biology, Chemistry and Environmental Sciences, American University of Sharjah, Sharjah, United Arab Emirates

G. Brown

Leibniz Institute for the Analysis of Biodiversity Change, Centre for Biodiversity Monitoring and Conservation Science, Bonn, Germany

O. Campbell

Nautica Environmental Associates LLC, Abu Dhabi, United Arab Emirates

British School Al Khubairat, Abu Dhabi, United Arab Emirates

J. Els

Environment and Protected Areas Authority, Breeding Centre for Endangered Arabian Wildlife, Sharjah, United Arab Emirates

© The Author(s) 2024

J. A. Burt (ed.), *A Natural History of the Emirates*,
https://doi.org/10.1007/978-3-031-37397-8_24

735

Emirates (UAE) faces the challenge of balancing its rapid economic development with environmental preservation and conservation of its natural assets (Sale et al. 2011; Jayaraman et al. 2015; Mateos-Molina et al. 2021).

Throughout its history, the people of the area now called the UAE have had an outward-looking perspective, engaging in trade from Mesopotamia to the Indus and East Africa, serving as a nexus for the exchange of goods, ideas and cultures across the region and beyond (Boivin and Fuller 2009; Morton 2016; Ryan et al. 2021). In the modern era, the UAE has embraced globalism, becoming a respected voice and valued player in the international order, seeking peace and prosperity through its domestic policies and international engagements (Korany et al. 2010; Maitner and Stewart-Ingersoll 2016; Ulrichsen 2016). In considering the future of the Emirates at 2050, it is presumed that those internationally focused efforts will continue to succeed. On the local stage, however, balancing economic development with environmental conservation will be an important challenge for the UAE as it navigates the complexities of the Anthropocene era.

G. R. Feulner
Dubai Natural History Group, Dubai, United Arab Emirates

G. Friis-Montoya
Center for Genomics and Systems Biology (CGSB), New York University Abu Dhabi, Abu Dhabi, United Arab Emirates

Plant Health and Adaptation, Royal Botanic Gardens, Kew, Richmond, Surrey, UK

A. Henderson
Biology Department, College of Science, UAE University, Al Ain, United Arab Emirates

B. Howarth
Department of Culture and Tourism, Natural History Museum Abu Dhabi (NHMAD), Abu Dhabi, United Arab Emirates

D. M. John
Life Sciences Department, Natural History Museum, London, UK

J. Judas
Soudah Development, Abha, Saudi Arabia

D. Mateos-Molina
Emirates Nature-WWF, Bay Square Building 4, Level 2, Business Bay, Dubai, United Arab Emirates

M. Mitchell
Marine Biology Lab, New York University Abu Dhabi, Abu Dhabi, United Arab Emirates

A. Natoli
College of Natural and Health Science, Zayed University, Dubai, United Arab Emirates

F. Paparella
Arabian Center for Climate and Environmental Sciences (ACCESS), New York University Abu Dhabi, Abu Dhabi, United Arab Emirates

F. Yaghmour
Hefaiyah Mountain Conservation Centre (Scientific Research Department), Environment and Protected Areas Authority, Kalba, Sharjah, United Arab Emirates

24.2 Our Natural Emirates: Valuable but Vulnerable

The UAE is characterized by a diverse range of geographical features and ecosystems, both terrestrial and marine. The country is home to vast expanses of arid desert, austere mountain terrain and a coastline that supports valuable lagoon and marine ecosystems, including mangrove forests, seagrass meadows, algal beds and coral reefs that support a rich and distinctive community of marine life (Hellyer and Aspinall 2005; Lamine et al. 2020; Mateos-Molina et al. 2021). In the terrestrial realm, the UAE's arid sand dunes, rugged mountains, fertile wadis, sabkhas and coastal sands are home to plant and animal species specially adapted to the harsh environmental conditions of the Emirates (Vine and Al-Abed 1996; Hellyer and Aspinall 2005). These habitats and their interrelated ecosystems are the cradle for the region's unique biodiversity, and they combine to offer a variety of ecosystem goods services that contribute to human well-being, as they have done for many millennia.

The unique ecosystems in the UAE are particularly vulnerable to disturbance because they exist in an environment that is already at the limits of physiological tolerance for most organisms. Extreme conditions, such as high temperatures, low rainfall and high evaporation rates, make the native flora and fauna susceptible to even slight alterations to their environment (Scherf et al. 2007; Soorae et al. 2013; El-Keblawy et al. 2015; Sakkir et al. 2015; Paparella et al. 2019; Friis and Burt 2020; Bouwmeester et al. 2021). Human-induced transformations, such as rapid urbanization, the degradation and fragmentation of habitats, groundwater extraction and modification of the coastline and coastal marine environments, pose significant threats to the delicate balance of the UAE's ecosystems (Tourenq and Launay 2008; Gardner and Howarth 2009; Tourenq et al. 2011; Burt 2014; Burt and Bartholomew 2019). Additionally, global climate change has the potential to exacerbate many of these issues (Shahin and Salem 2015; Lincoln et al. 2021; Melville-Rea et al. 2021). As the nation continues to grow and develop, it is essential to carefully consider and address the potential consequences of human activities on the natural environment of the Emirates in order to ensure the long-term health and welfare of its ecosystems and the diverse organisms they contain.

24.3 Challenges to the Natural Emirates

The United Arab Emirates has successfully promoted rapid economic development in recent decades, transforming itself into a prosperous modern nation (Nyarko 2010). However, rapid growth has brought with it a number of challenges, placing increasing pressure on its vulnerable ecosystems and its unique plant and animal life.

Population growth and extensive urbanization, both on land and into the seas, have led to extensive habitat loss and degradation. The expansion of cities and development of infrastructure, such as roads, power lines, pipelines and fences on land and dredged channels and industrial structures in the sea, has resulted in habitat

fragmentation and degradation, often creating barriers that disrupt the movement of species (Tourenq and Launay 2008; Gardner and Howarth 2009; Burt 2014). Overgrazing by camels and goats, and also by wild but management-supported animals within protected areas, has further contributed to widespread habitat degradation, leading to the decline of native plant species, the onset of desertification and the spread of invasive species (Böer 1998; Gallacher and Hill 2006a, b; Shahid 2017; Howari et al. 2022). One has only to look at the all too rare examples of genuinely protected desert to see the difference (e.g. El-Keblawy and Alsharhan 2003).

Water resources are another concern. The UAE is one of the most water-scarce countries in the world, and the extraction of groundwater, mainly for agricultural purposes, has led to the depletion and salinization of aquifers and the decline and sometimes the disappearance of unique freshwater ecosystems in mountain wadis (Freyhof et al. 2015, 2020; Shahin and Salem 2015; Liaqat et al. 2021; Sherif et al. 2021). Desalination, while providing a critical source of freshwater, creates its own set of environmental challenges, including the discharge of hypersaline brines back into the sea and large emissions of greenhouse gases to the air (Le Quesne et al. 2021; Paparella et al. 2022).

Global climate change poses a growing challenge to the UAE's environment. Rising temperatures, and the increasing frequency and severity of extreme weather events threaten to exacerbate existing environmental issues and overwhelm the ability of the country's ecosystems and natural resources to respond. We are already witnessing more frequent and severe regional marine heat waves than in the recorded history (Riegl et al. 2018; Beyraghdar Kashkooli et al. 2022), affecting more vulnerable ecosystems such as coral reefs across the Emirates (Burt et al. 2019) and accelerating the growth of a low-oxygen zone that threatens fisheries on the UAE's Gulf coast (Lachkar et al. 2022). Additionally, climate-driven sea level rise is likely to substantially impact the ecology of widespread low-lying coastal areas that harbor many of the UAE's most unique habitats (e.g. lagoons, sabkhas and mangrove forests) (Brown 2006; Elkabbany 2019; Melville-Rea et al. 2021). The precise impacts of climate change on the UAE's ecosystems and organisms are difficult to predict in detail (Paparella et al. 2019), as are its consequences for the human population, but are likely to include a decrease in water resources, fisheries resources and agricultural potential (due to a decrease in arable land and pollinating organisms), as well as risks for coastal real estate and infrastructure (e.g. power and desalination plants and ports) (Ajaj et al. 2019; Dougherty et al. 2019; Bolleter et al. 2021; Melville-Rea et al. 2021).

The combined effects of all of the foregoing challenges have already led to a decline in the biodiversity of the UAE, with many species categorized as critically endangered, endangered or vulnerable to extinction at the national scale (together representing 28% of assessed species; Allen et al. 2021). The loss of biodiversity has implications not only for the health and resilience of natural ecosystems in the coming decades, but also for the cultural heritage and identity of the nation, and the well-being of people who rely on these ecosystems for their livelihoods and quality of life (Tourenq et al. 2009; Mateos-Molina et al. 2020; Luomi 2022; Pittman et al. 2022).

24.4 Envisioning a Future in Greater Harmony with Nature

In order to address these challenges and chart a more environmentally aware course for the Emirates at 2050, a comprehensive approach is needed that integrates environmental considerations into all aspects of planning and decision-making. The following policy recommendations are proposed to help guide the UAE towards a future in greater harmony with the natural environment (Fig. 24.1):



Fig. 24.1 Environmental policy recommendations for a more sustainable future for the Emirates (Image credit: Oliver Farrel)

- Adopt a national strategy for sustainable development that aligns with international goals and commitments, such as the United Nations' Sustainable Development Goals (SDGs) and the Paris Agreement on climate change. This strategy should prioritize the conservation of ecosystems and nature in the Emirates, while also promoting sustainable economic growth, social equity and sound decision-making and implementation (Umar et al. 2020; Meyer and Warren 2021; Umar and Umeokafor 2022).
- Strengthen environmental policies and regulations to ensure the protection and preservation of the UAE's ecosystems and biodiversity. Potential measures could include the expansion of protected areas, establishing habitat restoration initiatives, bolstering monitoring and assessment of environmental initiatives, and intensifying the enforcement of environmental impact assessments (EIAs) for new infrastructure and development projects, which should be strengthened to incorporate social impacts and cumulative pressures (i.e. rather than single-project based) (O'Brien et al. 2007; Heaton and Burns 2014; Howarth et al. 2019).
- Invest in urban planning and design that minimizes resource use, habitat loss and fragmentation, and promotes arid-adapted green spaces, biodiversity and connectivity between ecosystems. This could include the creation of urban wildlife corridors, use of native plants in landscaping, and promotion of green infrastructure such as green roofs and walls where desert-adapted local vegetation could be integrated into built infrastructure to support a variety of socio-environmental benefits (ADUPC 2014; D'Souza 2014; Haggag et al. 2014; Alam et al. 2017; Mateos-Molina et al. 2020).
- Promote sustainable water management practices to address water scarcity and protect freshwater ecosystems. This could involve further enhancement of water-efficient technologies and practices, promotion of water recycling and reuse, and exploration of alternative, less environmentally impactful sources of freshwater, such as fog harvesting and atmospheric water generation (Murad 2010; Aleisa and Al-Zubari 2017; Cattani et al. 2023; Hassan et al. 2023).
- Encourage use of Nature Based Solutions (NBS) to effectively tackle societal problems while also providing benefits for both human well-being and biodiversity. NBS are actions that include protection, sustainable management, restoration, habitat creation, and nature-based enterprises such as ecotourism and agroecology. The objective is to offer numerous socio-economic and environmental benefits in an efficient and adaptable way, with the benefits serving as a pathway to a sustainable economy (Maes and Jacobs 2017; Cohen-Shacham et al., 2019; Seddon et al. 2021; Pittman et al. 2022).
- Address climate change through the development and implementation of a national climate change adaptation and mitigation plan. This plan should prioritize the protection of vulnerable ecosystems and species, as well as the reduction of greenhouse gas emissions through the promotion of renewable energy and energy efficiency measures (Sgouridis et al. 2016; Krarti and Dubey 2018; Al-Sarihi and Mason 2020).

- Foster environmental education and awareness to promote an appreciation for the natural world, and an understanding of humanity's role in it, to support a culture of conservation and stewardship among the UAE's citizens and residents. This could include the further integration of environmental topics into the national curriculum, the establishment of environmental outreach programs, and the encouragement of citizen science initiatives to engage the public in monitoring and conserving nature in the Emirates (Howari et al. 2019; Natoli et al. 2022).
- Support research and development in environmental sciences, with a focus on understanding and addressing the unique environmental and anthropogenic challenges faced by the UAE's ecosystems and biodiversity. This could include the establishment of rigorous research institutes supported by graduate training programs, and the provision of sustained, competitive funding for environmental research focused on national priorities (Sale et al. 2011; van Lavieren et al. 2011; Al Marzouqi et al. 2019).
- Foster inter-Emirate and regional cooperation on environmental issues, by sharing best practices, participating in joint conservation initiatives, and collaborating on trans-boundary environmental challenges such as climate change, marine pollution and migratory species (Aspinall 1996, 2001; Knight et al. 2011; Sale et al. 2011; Al-Saidi 2021).
- Encourage the private sector to adopt environmentally responsible business practices and invest in green technologies. This could involve the development of incentives, such as corporate tax breaks and grants, for companies that demonstrate a commitment to environmental conservation, as well as the establishment of corporate reporting requirements and standards related to their environmental initiatives (Al Naqbi et al. 2019; Al Yammahi et al. 2019; Samour et al. 2022a, b).
- Monitor and evaluate the progress of environmental policies and initiatives to assess their effectiveness and inform future decision-making. This could include the development of a comprehensive set of environmental indicators and the regular publication of an environmental performance report (Van Lavieren and Klaus 2013; Gulseven 2020; Gulseven and Ahmed 2022).

Many of these policy recommendations are already being implemented in the UAE to some degree, demonstrating the nation's commitment to sustainable development and environmental conservation. For example, the UAE Net Zero 2050 initiative focuses on transitioning to a knowledge-based, sustainable and innovative economy while preserving the environment (MOCCA 2021; Al Fahaam and Saleh 2023). It has also invested heavily in renewable energy projects, such as the Mohammed bin Rashid Al Maktoum Solar Park in Dubai and the Barakah Nuclear Energy Plant in Abu Dhabi, which aim to reduce greenhouse gas emissions and diversify the UAE's energy sources (Obaideen et al. 2021; Davidson 2022; Marketos et al. 2022). Such initiatives align with international commitments such as the United Nations' Sustainable Development Goals (SDGs) and the Paris Agreement on climate change, while also moving towards a more sustainable future for the Emirates. Mitigation of global climate change and a transition to renewables are necessary and laudable

strategies as the UAE matures towards the middle of the century, but many of the pressures and challenges facing terrestrial and marine ecosystems within the Emirates are occurring on rapid time scales, requiring a more urgent commitment towards nationally focused initiatives.

24.5 Conclusion

As the UAE looks ahead to 2050, it is important that the nation strikes a balance between its ambitious development goals and the need to preserve and protect its unique natural heritage by acting as stewards of the environment for subsequent generations. By adopting an approach to development that incorporates environmental conservation, the UAE can hope to ensure that its rapid growth and modernization do not come at the expense of its invaluable natural assets.

The policy recommendations outlined here provide a roadmap for the UAE to navigate the challenges of the Anthropocene era and build a more prosperous future for its people, enhancing both its environment and its place in the world. Successfully implementing these recommendations would bring numerous benefits, including improved quality of life for the UAE's citizens and residents. Moreover, preserving the nation's distinctive nature would help to attract the growing number of environmentally minded tourists, bringing additional economic benefits while fostering an appreciation for the UAE's dedication to environmental stewardship.

By embracing a vision of development that respects the natural environment and safeguards its plant and animal life, the UAE can demonstrate its commitment and set an example for other nations to follow, earning international recognition for its responsible approach to development. Achieving this vision will require the concerted efforts of policymakers, businesses, researchers and the public, all working together to ensure that the UAE's unique natural heritage is preserved for generations to come.

At 2050, the Emirates could be a shining example of responsible development, whereby the country's rich natural heritage is protected and celebrated, and where economic growth, environmental stewardship and social well-being are all equally valued and pursued. The successful implementation of the proposed policy recommendations will lay the foundation for a future in which the UAE's natural environment flourishes alongside its thriving economy, setting a standard for environmentally-conscious development that inspires the world.

References

- ADUPC (2014) Plan maritime 2030–Abu Dhabi coastal and marine framework plan–charette 1 proceedings book–existing conditions, constraints and opportunities. Abu Dhabi Urban Planning Council, Abu Dhabi

- Ajaj RM, Shahin SM, Salem MA (2019) The challenges of climate change and food security in the United Arab Emirates (UAE): from deep understanding to quick actions. *Curr Nutr Food Sci* 15: 422–429. <https://doi.org/10.2174/1573401314666180326163009>
- Al Fahaam T, Saleh A (2023) Mohammed bin Rashid witnesses signing of UAE governments net zero 2050 charter. WAM, Abu Dhabi, UAE. <https://wam.ae/en/details/1395303136015>. Accessed 25 March 2023
- Al Marzouqi AH, Alameddine M, Sharif A, Alsheikh-Ali AA (2019) Research productivity in the United Arab Emirates: a 20-year bibliometric analysis. *Heliyon* 5:e02819. <https://doi.org/10.1016/j.heliyon.2019.e02819>
- Al Naqbi S, Tsai I, Mezher T (2019) Market design for successful implementation of UAE 2050 energy strategy. *Renew Sust Energ Rev* 116:109429. <https://doi.org/10.1016/j.rser.2019.109429>
- Al Yammahi K, Pereira V, Temouri Y (2019) Supporting national responsibilities in the quest to achieve an international agenda: an exploratory case study from the UAE. In: Rettab B, Mellahi K (eds) *Practising CSR in the Middle East*. Springer, Cham, pp 119–160. https://doi.org/10.1007/978-3-030-02044-6_7
- Alam H, Khattak JZK, Ppoyil SBT, Kurup SS, Ksiksi TS (2017) Landscaping with native plants in the UAE: a review. *Emir J Food Agric* 2017:729–741
- Aleisa E, Al-Zubari W (2017) Wastewater reuse in the countries of the Gulf Cooperation Council (GCC): the lost opportunity. *Environ Monit Assess* 189:553. <https://doi.org/10.1007/s10661-017-6269-8>
- Allen DJ, Westrip J, Ralph GM, Burfield IJ, Harding KA, Hilton-Taylor C, Ali H, Al-Mheiri R, Alshamsi O (2021) UAE national red list: synthesis report. IUCN, Gland, Switzerland. <https://www.moccae.gov.ae/assets/download/7f302c54/UAE%20National%20Red%20List%20Synthesis%20Report.pdf.aspx>. Accessed 28 March 2023
- Al-Saidi M (2021) Cooperation or competition? State environmental relations and the SDGs agenda in the Gulf Cooperation Council (GCC) region. *Environ Dev* 37:100581. <https://doi.org/10.1016/j.envdev.2020.100581>
- Al-Sarihi A, Mason M (2020) Challenges and opportunities for climate policy integration in oil-producing countries: the case of the UAE and Oman. *Clim Pol* 20:1226–1241. <https://doi.org/10.1080/14693062.2020.1781036>
- Aspinall S (1996) Time for a protected area network in the UAE. *Tribulus* 6:5–9
- Aspinall S (2001) Environmental development and protection in the UAE. In: Vine P, Al-Abed I (eds) *United Arab Emirates: a new perspective*. Trident Press, London, pp 277–304
- Beyraghdar Kashkooli O, Karimian S, Modarres R (2022) Spatiotemporal variability of the Persian Gulf and Oman Sea marine heatwaves during 1982–2020. *Mar Pollut Bull* 184:114174. <https://doi.org/10.1016/j.marpolbul.2022.114174>
- Böer B (1998) Anthropogenic factors and their potential impacts on the sustainable development of Abu Dhabi's terrestrial biological resources. *Int J Sustain Dev World Ecology* 5:125–135. <https://doi.org/10.1080/13504509809469976>
- Boivin N, Fuller DQ (2009) Shell middens, ships and seeds: exploring coastal subsistence, maritime trade and the dispersal of domesticates in and around the ancient Arabian peninsula. *J World Prehist* 22:113–180. <https://doi.org/10.1007/s10963-009-9018-2>
- Bolleter J, Grace B, Hooper P, Foster S (2021) Wet-bulb temperature and sea-level rise in the United Arab Emirates – planning responses. *Plan Pract Res* 36:408–429. <https://doi.org/10.1080/02697459.2020.1859199>
- Bouwmeester J, Riera R, Range P, Ben-Hamadou R, Samimi-Namin K, Burt JA (2021) Coral and reef fish communities in the thermally extreme Persian/Arabian Gulf: insights into potential climate change effects. In: Rossi S, Bramanti L (eds) *Perspectives on the marine animal forests of the world*. Springer, Cham, pp 63–86. https://doi.org/10.1007/978-3-030-57054-5_3
- Brown G (2006) The sabkha vegetation of the United Arab Emirates. In: Khan MA, Boer B, Kust GS, Barth H-J (eds) *Sabkha ecosystems*. Springer, Dordrecht, pp 37–51

- Burt J (2014) The environmental costs of coastal urbanization in the Arabian Gulf. *City* 18:760–770. <https://doi.org/10.1080/13604813.2014.962889>
- Burt JA, Bartholomew A (2019) Towards more sustainable coastal development in the Arabian Gulf: opportunities for ecological engineering in an urbanized seascape. *Mar Pollut Bull* 142:93–102. <https://doi.org/10.1016/j.marpolbul.2019.03.024>
- Burt J, Paparella F, Al-Mansoori N, Al-Mansoori A, Al-Jailani H (2019) Causes and consequences of the 2017 coral bleaching event in the southern Persian/Arabian Gulf. *Coral Reefs* 38:567–589. <https://doi.org/10.1007/s00338-019-01767-y>
- Cattani L, Cattani P, Magrini A (2023) Air to water generator integrated system real application: a study case in a worker village in United Arab Emirates. *Appl Sci* 13:3094
- Cohen-Shacham E, Andrade A, Dalton J, Dudley N, Jones M, Kumar C, Maginnis S, Maynard S, Nelson CR, Renaud FG, Welling R, Walters G (2019) Core principles for successfully implementing and upscaling nature-based solutions. *Environ Sci Pol* 98:20–29. <https://doi.org/10.1016/j.envsci.2019.04.014>
- Crutzen PJ (2016) Geology of mankind. In: Crutzen PJ, Brauch HG (eds) Paul J. Crutzen: a pioneer on atmospheric chemistry and climate change in the Anthropocene. Springer, Cham, pp 211–215. https://doi.org/10.1007/978-3-319-27460-7_10
- D'Souza U (2014) Measuring green roof performance, a solution to sustainable urban development in the UAE. *Int J Sustain Dev Plan* 9:376–388
- Davidson A (2022) The role of nuclear energy in the global energy transition. Oxford Institute for Energy Studies, Oxford, UK
- Dougherty WW, Yates DN, Pereira JE, Monaghan A, Steinhoff D, Ferrero B, Wainer I, Flores-Lopez F, Galaitis S, Kucera P, Glavan J (2019) The energy-water-health nexus under climate change in the United Arab Emirates: impacts and implications. In: Qudrat-Ullah H, Kayal AA (eds) Climate change and energy dynamics in the Middle East: modeling and simulation-based solutions. Springer, Cham, pp 131–180. https://doi.org/10.1007/978-3-030-11202-8_6
- Elkabbany MF (2019) Sea level rise vulnerability assessment for Abu Dhabi, United Arab Emirates. University of Lund, Lund, Sweden, p 119
- El-Keblawy A, Alsharhan A (2003) Effects of protection from grazing on species diversity, abundance and productivity in two regions of Abu Dhabi, United Arab Emirates. In: Alsharhan AW, Wood W, Goudie A, Fowler A, Abdellatif E (eds) Desertification in the third millennium. Swets & Zeitlinger Publishers, Rotterdam, The Netherlands, pp 217–226
- El-Keblawy A, Abdelfattah MA, Khedr A-HA (2015) Relationships between landforms, soil characteristics and dominant xerophytes in the hyper-arid northern United Arab Emirates. *J Arid Environ* 117:28–36. <https://doi.org/10.1016/j.jaridenv.2015.02.008>
- Freyhof J, Hamidan N, Feulner G, Harrison I (2015) The status and distribution of freshwater fishes of the Arabian peninsula. In: García N, Harrison I, Cox N, Tognelli M (eds) The status and distribution of freshwater biodiversity in the Arabian peninsula. IUCN, Gland, Switzerland, pp 16–30
- Freyhof J, Els J, Feulner GR, Hamidan NA, Krupp F (2020) Freshwater fishes of the Arabian peninsula. Motivate Media Group, Dubai, United Arab Emirates
- Friis B, Burt JA (2020) Evolution of mangrove research in an extreme environment: historical trends and future opportunities in Arabia. *Ocean Coast Manag* 195:105288. <https://doi.org/10.1016/j.ocecoaman.2020.105288>
- Gallacher D, Hill J (2006a) Effects of camel versus oryx and gazelle grazing on the plant ecology of the Dubai desert conservation reserve. In: Reclaiming the desert - towards a sustainable environment in arid lands: Proceedings of the Third Joint UAE-Japan Symposium on Sustainable GCC Environment and Water Resources, vol 3, pp 85–95
- Gallacher DJ, Hill JP (2006b) Effects of camel grazing on the ecology of small perennial plants in the Dubai (UAE) inland desert. *J Arid Environ* 66:738–750
- Gardner A, Howarth B (2009) Urbanisation in the United Arab Emirates: the challenges for ecological mitigation in a rapidly developing country. *BioRisk* 3:27–38. <https://doi.org/10.3897/biorisk.3.18>

- Gulseven O (2020) Measuring achievements towards SDG 14, life below water, in the United Arab Emirates. *Mar Policy* 117:103972. <https://doi.org/10.1016/j.marpol.2020.103972>
- Gulseven O, Ahmed G (2022) The state of life on land (SDG 15) in the United Arab Emirates. *Int J Soc Ecol Sustain Dev* 13:1–15. <https://doi.org/10.4018/IJSESD.306264>
- Haggag M, Hassan A, Elmasry S (2014) Experimental study on reduced heat gain through green façades in a high heat load climate. *Energ Buildings* 82:668–674. <https://doi.org/10.1016/j.enbuild.2014.07.087>
- Hassan AA, Ezzeddine M, Kordy MGM, Awad MM (2023) Techno-economic assessment of atmospheric water harvesting (AWH) technologies. In: Fosso-Kankeu E, Al Alili A, Mittal H, Mamba B (eds) *Atmospheric water harvesting development and challenges*. Springer, Cham, pp 153–183. https://doi.org/10.1007/978-3-031-21746-3_8
- Heaton C, Burns S (2014) An evaluation of environmental impact assessment in Abu Dhabi, United Arab Emirates. In: *Impact assessment and project appraisal*. Taylor & Francis, pp 1–6. <https://doi.org/10.1080/14615517.2014.908004>
- Hellyer P, Aspinall S (2005) *The emirates: a natural history*. Trident Press, London
- Howari F, Qafisheh N, Nazzal Y (2019) Environmental service-learning in the United Arab Emirates: is it mediated by the effects of biographical and demographical variables? *Appl Environ Educ Commun* 18:300–312. <https://doi.org/10.1080/1533015X.2018.1473820>
- Howari FM, Sharma M, Nazzal Y, El-Keblawy A, Mir S, Xavier CM, Salem IB, Al-Taani AA, Alaydaros F (2022) Changes in the invasion rate of *Prosopis juliflora* and its impact on depletion of groundwater in the northern part of the United Arab Emirates. *Plan Theory* 11:682
- Howarth B, Khafaga T, Simkins G, Joseph S (2019) Ecosystems as commodity frontiers—challenges faced by land set aside as protected areas (PAs) in the Dubai Emirate, United Arab Emirates (UAE). In: Joseph S (ed) *Commodity frontiers and global capitalist expansion: social, ecological and political implications from the nineteenth century to the present day*. Springer, Cham, pp 111–136. https://doi.org/10.1007/978-3-030-15322-9_5
- Jayaraman R, Colapinto C, Torre DL, Malik T (2015) Multi-criteria model for sustainable development using goal programming applied to the United Arab Emirates. *Energy Policy* 87:447–454. <https://doi.org/10.1016/j.enpol.2015.09.027>
- Knight MH, Seddon PJ, Midfa AA (2011) Transboundary conservation initiatives and opportunities in the Arabian peninsula. *Zool Middle East* 54:183–195. <https://doi.org/10.1080/09397140.2011.10648909>
- Korany B, Dessouki AEH, Korany B, Dessouki AEH (2010) *Politics of constructive engagement: the foreign policy of the United Arab Emirates the foreign policies of Arab states: the challenge of globalization*. American University in Cairo Press. <https://doi.org/10.5743/cairo/9789774163609.003.0014>
- Krarti M, Dubey K (2018) Review analysis of economic and environmental benefits of improving energy efficiency for UAE building stock. *Renew Sust Energ Rev* 82:14–24. <https://doi.org/10.1016/j.rser.2017.09.013>
- Lachkar Z, Mehari M, Lévy M, Paparella F, Burt JA (2022) Recent expansion and intensification of hypoxia in the Arabian Gulf and its drivers. *Front Mar Sci* 9. <https://doi.org/10.3389/fmars.2022.891378>
- Lamine EB, Mateos-Molina D, Antonopoulou M, Burt JA, Das HS, Javed S, Muzaffar S, Giakoumi S (2020) Identifying coastal and marine priority areas for conservation in the United Arab Emirates. *Biodivers Conserv* 29:2967–2983. <https://doi.org/10.1007/s10531-020-02007-4>
- Le Quesne WJF, Fernand L, Ali TS, Andres O, Antonopoulou M, Burt JA, Dougherty WW, Edson PJ, El Kharraz J, Glavan J, Mamiit RJ, Reid KD, Sajwani A, Sheahan D (2021) Is the development of desalination compatible with sustainable development of the Arabian Gulf? *Mar Pollut Bull* 173:112940. <https://doi.org/10.1016/j.marpolbul.2021.112940>
- Liaqat MU, Mohamed MM, Chowdhury R, Elmahdy SI, Khan Q, Ansari R (2021) Impact of land use/land cover changes on groundwater resources in Al Ain region of the United Arab Emirates using remote sensing and GIS techniques. *Groundw Sustain Dev* 14:100587. <https://doi.org/10.1016/j.gsd.2021.100587>

- Lincoln S, Buckley P, Howes EL, Maltby KM, Pinnegar JK, Ali TS, Alosairi Y, Al-Ragum A, Baglee A, Balmes CO, Hamadou RB, Burt JA, Claereboudt M, Glavan J, Mamit RJ, Naser HAA, Sedighi O, Shokri MR, Shuhaibar B, Wabnitz CCC, Le Quesne WJF (2021) A regional review of marine and coastal impacts of climate change on the ROPME sea area. *Sustainability* 13:13810. <https://doi.org/10.3390/su132413810>
- Luomi M (2022) Environmental change and security. In: Gueraiche WA, K (ed) *Facets of security in the United Arab Emirates*. Routledge, Milton Park, Oxfordshire, pp 36–49 <https://doi.org/10.4324/9781003025566-6>
- Maes J, Jacobs S (2017) Nature-based solutions for Europe's sustainable development. *Conserv Lett* 10:121–124. <https://doi.org/10.1111/conl.12216>
- Maitner AT, Stewart-Ingersoll R (2016) Social identity and peace in the modern Middle East: insights from the United Arab Emirates. In: McKeown S, Haji R, Ferguson N (eds) *Understanding peace and conflict through social identity theory: contemporary global perspectives*. Springer, Cham, pp 317–331. https://doi.org/10.1007/978-3-319-29869-6_20
- Marketos T, Mazzucchi N, Alexopoulos TA (2022) Energy transitions in EM and MENA regions, towards new alliances? Geostrategic alliances in the eastern Mediterranean and MENA: a universal paradigm shift. Springer, Cham, pp 69–84. https://doi.org/10.1007/978-3-030-97593-7_8
- Mateos-Molina D, Antonopoulou M, Baldwin R, Bejarano I, Burt JA, Garcia-Charton JA, Al-Ghais SM, Walgamage J, Taylor OJS (2020) Applying an integrated approach to coastal marine habitat mapping in the North-Western United Arab Emirates. *Mar Environ Res* 161:105095. <https://doi.org/10.1016/j.marenvres.2020.105095>
- Mateos-Molina D, Ben Lamine E, Antonopoulou M, Burt JA, Das HS, Javed S, Judas J, Khan SB, Muzaffar SB, Pilcher N, Rodriguez-Zarate CJ, Taylor OJS, Giakoumi S (2021) Synthesis and evaluation of coastal and marine biodiversity spatial information in the United Arab Emirates for ecosystem-based management. *Mar Pollut Bull* 167:112319. <https://doi.org/10.1016/j.marpolbul.2021.112319>
- Melville-Rea H, Eayrs C, Anwahi N, Burt JA, Holland D, Samara F, Paparella F, Al Murshidi AH, Al-Shehhi MR, Holland DM (2021) A roadmap for policy-relevant sea-level rise research in the United Arab Emirates. *Front Mar Sci* 8. <https://doi.org/10.3389/fmars.2021.670089>
- Meyer S, Warren MA (2021) Exploring the role of character strengths in the endorsement of gender equality and pro-environmental action in the UAE. *Middle East J Posit Psychol* 7:65–80
- MOCCA (2021) UAE Net Zero 2050. UAE Ministry of Climate Change and the Environment, Dubai. <https://u.ae/en/information-and-services/environment-and-energy/climate-change/theuaeresponsetoclimatechange/uae-net-zero-2050>. Accessed 24 March 2023
- Morton MQ (2016) *Keepers of the golden shore: a history of the United Arab Emirates*. Reaktion Books, London, UK
- Murad AA (2010) An overview of conventional and non-conventional water resources in arid region: assessment and constraints of the United Arab Emirates (UAE). *Journal of Water Resource and Protection* 02(02):181. <https://doi.org/10.4236/jwarp.2010.22020>
- Natoli A, Moura AE, Sillero N (2022) Citizen science data of cetaceans in the Arabian/Persian Gulf: occurrence and habitat preferences of the three most reported species. *Mar Mamm Sci* 38:235–255. <https://doi.org/10.1111/mms.12865>
- Nyarko Y (2010) *The United Arab Emirates: some lessons in economic development* (Working Paper No. 2010/11). United Nations University - World Institute for Development Economics Research, Helsinki, Finland
- O'Brien J, Keivani R, Glasson J (2007) Towards a new paradigm in environmental policy development in high-income developing countries: the case of Abu Dhabi, United Arab Emirates. *Prog Plan* 68:201–256. <https://doi.org/10.1016/j.progress.2007.09.001>
- Obaideen K, Nooman AlMallahi M, Alami AH, Ramadan M, Abdelkareem MA, Shehata N, Olabi AG (2021) On the contribution of solar energy to sustainable developments goals: case study on Mohammed bin Rashid Al Maktoum Solar Park. *Int J Thermofluids* 12:100123. <https://doi.org/10.1016/j.ijft.2021.100123>

- Paparella F, Xu C, Vaughan GO, Burt JA (2019) Coral bleaching in the Persian/Arabian Gulf is modulated by summer winds. *Front Mar Sci* 6:1–15. <https://doi.org/10.3389/fmars.2019.00205>
- Paparella F, D'Agostino DA, Burt J (2022) Long-term, basin-scale salinity impacts from desalination in the Arabian/Persian Gulf. *Sci Rep* 12:20549. <https://doi.org/10.1038/s41598-022-25167-5>
- Pittman SJ, Stamoulis KA, Antonopoulou M, Das HS, Shahid M, Delevaux JMS, Wedding LM, Mateos-Molina D (2022) Rapid site selection to prioritize coastal seascapes for nature-based solutions with multiple benefits. *Front Mar Sci* 9. <https://doi.org/10.3389/fmars.2022.832480>
- Riegl B, Johnston M, Purkis S, Howells E, Burt J, Steiner S, Sheppard C, Bauman A (2018) Population collapse dynamics in *Acropora downingi*, an Arabian/Persian Gulf ecosystem-engineering coral, linked to rising temperature. *Glob Chang Biol* 24:2447–2462. <https://doi.org/10.1111/gcb.14114>
- Ryan SE, Dabrowski V, Dapigny A, Gauthier C, Douville E, Tengberg M, Kerfant C, Mouton M, Desormeau X, Zazzo A, Bouchaud C (2021) Strontium isotope evidence for a trade network between southeastern Arabia and India during antiquity. *Sci Rep* 11:303. <https://doi.org/10.1038/s41598-020-79675-3>
- Sakkir S, Shah JN, Cheruth AJ, Kabshawi M (2015) Phenology of desert plants from an arid gravel plain in eastern United Arab Emirates. *J Arid Land* 7:54–62. <https://doi.org/10.1007/s40333-014-0036-2>
- Sale PF, Feary D, Burt JA, Bauman A, Cavalcante G, Drouillard K, Kjerfve B, Marquis E, Trick C, Usseglio P, van Lavieren H (2011) The growing need for sustainable ecological management of marine communities of the Persian Gulf. *Ambio* 40:4–17. <https://doi.org/10.1007/s13280-010-0092-6>
- Samour A, Baskaya MM, Tursoy T (2022a) The impact of financial development and FDI on renewable energy in the UAE: a path towards sustainable development. *Sustainability* 14:1208
- Samour A, Shahzad U, Mentel G (2022b) Moving toward sustainable development: assessing the impacts of taxation and banking development on renewable energy in the UAE. *Renew Energy* 200:706–713. <https://doi.org/10.1016/j.renene.2022.10.020>
- Scherf A, Abed R, Rullkötter J (2007) Lipid biomarkers as indicators for environmental stress in cyanobacterial mats of Abu Dhabi, United Arab Emirates. *Geochim Cosmochim Acta* 71:A888
- Seddon N, Smith A, Smith P, Key I, Chausson A, Girardin C, House J, Srivastava S, Turner B (2021) Getting the message right on nature-based solutions to climate change. *Glob Chang Biol* 27:1518–1546. <https://doi.org/10.1111/gcb.15513>
- Sgouridis S, Abdullah A, Griffiths S, Saygin D, Wagner N, Gielen D, Reinisch H, McQueen D (2016) RE-mapping the UAE's energy transition: an economy-wide assessment of renewable energy options and their policy implications. *Renew Sust Energy Rev* 55:1166–1180. <https://doi.org/10.1016/j.rser.2015.05.039>
- Shahid M (2017) Goats: a threat to biodiversity in the United Arab Emirates. *Tribulus* 25:4–12
- Shahin SM, Salem MA (2015) The challenges of water scarcity and the future of food security in the United Arab Emirates (UAE). *Natural. Resour Conserv* 3:1–6. <https://doi.org/10.13189/nrc.2015.030101>
- Sherif M, Sefelnasr A, Ebraheem AA, Al Mulla M, Alzaabi M, Alghafii K (2021) Spatial and temporal changes of groundwater storage in the quaternary aquifer, UAE. *Water* 13:864
- Soorae P, Els J, Gardner D, El Alqamy H (2013) Distribution and ecology of the Arabian and Dhofar toads (*Duttaphrynus arabicus* and *D. dhufarensis*) in the United Arab Emirates and adjacent areas of northern Oman. *Zool Middle East* 59:229–234. <https://doi.org/10.1080/09397140.2013.841428>
- Steffen W, Grinevald J, Crutzen P, McNeill J (2011) The Anthropocene: conceptual and historical perspectives. *Philos Trans R Soc A Math Phys Eng Sci* 369:842–867. <https://doi.org/10.1098/rsta.2010.0327>
- Tourenq C, Launay F (2008) Challenges facing biodiversity in the United Arab Emirates. *Manag Environ Qual Int J* 19:283–304

- Tourenq C, Khassim A, Sawaf M, Shuriqi MK, Smart E, Ziolkowski M, Brook M, Selwan R, Perry L (2009) Characterisation of the Wadi Wurayah catchment basin, the first mountain protected area in the United Arab Emirates. *Int J Ecol Environ Sci* 35:289–311
- Tourenq C, Brook M, Knuteson S, Shuriqi MK, Sawaf M, Perry L (2011) Hydrogeology of Wadi Wurayah, United Arab Emirates, and its importance for biodiversity and local communities. *Hydrol Sci J* 56:1407–1422. <https://doi.org/10.1080/02626667.2011.631139>
- Ulrichsen KC (2016) *The United Arab Emirates: power, politics and policy-making*. Taylor & Francis, London
- Umar T, Umeokafor N (2022) Exploring the GCC progress towards United Nations sustainable development goals. *Inte J Soc Ecol Sustain Dev* 13:1–32. <https://doi.org/10.4018/IJSESD.2022010105>
- Umar T, Egbu C, Ofori G, Honnurvali MS, Saidani M, Shibani A, Opoku A, Gupta N, Goh K (2020) UAE's commitment towards UN sustainable development goals. *Eng Sustain* 173:325–343
- Van Lavieren H, Klaus R (2013) An effective regional marine protected area network for the ROPME sea area: unrealistic vision or realistic possibility? *Mar Pollut Bull* 32:389–405. <https://doi.org/10.1016/j.marpolbul.2012.09.004>
- van Lavieren H, Burt J, Feary D, Cavalcante G, Marquis E, Benedetti L, Trick C, Kjerfve B, Sale PF (2011) *Managing the growing impacts of development on fragile coastal and marine systems: lessons from the Gulf. A policy report*. United Nations University - Institute for Water, Environment, and Health. Hamilton, ON, Canada
- Vine P, Al-Abed I (1996) *Natural emirates: wildlife and environment of the United Arab Emirates*. Trident Press, Dublin

Open Access This chapter is licensed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.

